

MARYLAND Medical Journal

Medicine and Surgery



The Medical Journal Company

BALTIMORE

Publishers

WASHINGTON

Volume Fifty-Nine
Number Three

MARCH, 1916

Annual Subscription
Two Dollars

THE ABDOMINAL BRAIN CAN'T THINK

but it does act to induce or aggravate

Obstipation---Stasis---Autotoxemia

which is more than "constipation".

Treatment to be efficient includes lubrication.

Effective lubrication requires INTEROL.

INTEROL has been hyper-refined, *i. e.*, it is safe, is of correct body and effective viscosity, is free from suggestion of flavor or odor (even when heated to 100° C.).

Therefore:

INTEROL SECURES RESULTS IN HANDS THAT

KNOW HOW—AND WHEN—TO USE INTEROL

Obtainable of your druggist.

Booklet on request.

VAN HORN and SAWTELL
15 and 17 East 40th Street
NEW YORK CITY

INDICATED WHENEVER A
DEPENDABLE TONIC OR
RESTORATIVE IS NEEDED.

USEFUL AT ALL SEASONS
AND FOR PATIENTS OF
ALL AGES.

Gray's Glycerine Tonic Comp.

FORMULA DR. JOHN P. GRAY

Quickensthe appetite.
Stimulatesgastricactivity.
Promotesassimilation.
Improvesnutrition.
Restoresbodilystrength.
Increasesvitalresistance.

Producspromptandsatisfactoryresultsin
convalescencefromLaGrippe,
fevers,etc.,atonic
indigestion,malnutritionand
functionaldisordersingeneral.

FOR INTERESTING AND VALUABLE INFORMATION
ON TONIC MEDICATION, ADDRESS

The Purdue Frederick Co., 135 Christopher St., New York City



Chevy Chase Sanatorium WASHINGTON, D. C.

A HIGH-GRADE institution for the care and treatment of those suffering from Nervous and Mental Diseases, Alcohol and Drug Addicts and general enfeeblement.

Located in the choicest suburb of the National Capital, surroundings ideal, buildings new, heated by steam, lighted by electricity, licensed by the District of Columbia, inspected and controlled by the Health Department of the City of Washington.

FOR TERMS, ADDRESS

DR. BENJAMIN RUSH LOGIE

Chevy Chase Sanatorium

WASHINGTON, D. C.

MARYLAND MEDICAL JOURNAL

FOR MARCH, 1916

VOL. LIX

Entered at the Baltimore Postoffice as Second-Class Matter

No. 3

CONTENTS

DISEASES OF THE RECTUM	HAROLD EDMUND DUNNE, M.D.	53
NATHAN SMITH, NATHAN R. SMITH AND ALAN P. SMITH—A MEDICAL FAMILY	HENRY M. HURD, M.D.	56
ACUTE ABDOMINAL PAIN	ROBERT PARKE BAY, M.D.	59
THE TREATMENT OF FRACTURES OF THE LOWER END OF THE TIBIA AND FIBULA	WALTER D. WISE, M.D.	62
BOOK REVIEWS		71
EDITORIAL		76
The Starvation Treatment of Diabetes,		
MEDICAL ITEMS		78

Terms: \$2.00 a Year

THE MEDICAL JOURNAL CO.
Professional Building
Baltimore, Md.

Index to Ads. Page ii

ANGIER'S

The PERSISTENT COUGH and
BRONCHIAL AFFECTIONS respond
readily when treated with

ANGIER'S EMULSION

It promotes expectoration, diminishes respiration and is a valuable aid to digestion and nutrition. Ask for samples to try on a stubborn case.

To avoid substitution and disappointment, please specify and GET ANGIER'S.

Be sure to specify

IF YOU HAVE NEVER TRIED IT, WE SHOULD BE GLAD TO SEND YOU SAMPLES PREPAID
ANGIER CHEMICAL CO., BOSTON, MASS.

INDEX TO ADVERTISERS

When writing, say you saw advertisement in the MARYLAND MEDICAL JOURNAL.					
Angier Chemical Co.,	xxviii	Gundry Home, Richard,	xxx	St. Charles Hotel,	xxix
Antiphlogistine (Denver Chem. Co.),	xii	Hoffmann's Fancy L'tr Gds Shop,	xxxii	Storm, Katharine L.,	xxxii
Baker, John C., Co.,	vii	Howard & Company,	xxii	Stuart's Pharmacy,	xx
Balt. & Co.,	xv	Hub Auto Supply Co.,	xxii	Sultan Drug Co.,	vi, xv
Beamer & Sellman Sanatorium,	xxxi	Hus or & Winder,	xxii	University of Maryland,	xxxii
Brettenbach, M. J., Co.,	xv	Katharmon Chemical Co.,	ii	University of Md., Dental Dept.,	ix
Cristol-Myers Co.,	xx	Kress & Owen Co.,	xii	University of Md., Law Dept.,	xiv
Brown Optical Co., The,	xxi	Loyak,	xxix	Van Horn & Sawtell, Front and 4th cover	
Cutter, Dr. H. V.,	xxii	Medical Society Meetings,	ix	Western Maryland Dairy,	xxix
Halftone Hotel,	xxii	Mellon's Food Co.,	ii	Willms, Chas., Surgical Inst. Co.,	viii
Members, Dr. H.,	xxii	Milton Academy,	xxxi	Wilson, Dr. L.,	xxii
Heavy Chase Sanatorium,	2d cover	Morgan, T. C., & Co.,	xxi		
City Dairy Co., The,	xvi	Mosby, C. V., Book Co.,	xxii		
Chen & Hughes, Inc.,	xxxv	Ogden, A. G., Co.,	ix		
Plans System,	ix	Parke, Davis & Co.,	3d cover		
Frattenton, C. N., Co.,	xvi, xvi	Parapco Manor Sanitarium,	xxxi		
Daniel, John B.,	xii	Peacock Chemical Co.,	xii, xxi		
Deetjen, Christian, Dr.,	ii	Pearson Home,	xxx		
Fairchild Bros. & Foster,	v	Penn Lucy Place,	vi		
Fellows Medical Mfg. Co.,	xviii	Phillips, C. H., Chemical Co.,	xvii		
Fleet-McGinley Co.,	viii	Pollack's,	viii		
Jaen Hall, Atlantic City,	4th cover	Purdue Frederick Co.,	2d cover		
Jaen Hall, Wernersville, Pa.,	xvi	Reed & Carnick,	xix		
Juddings & Rogers,	vii	River Crest,	xxx		
Korsch & Sons, G. H.,	xxix	Robins, A. H.,	viii		
Landry Sanitarium,	xxx	Sander, Carl, & Sons,	xxiv		

LOCAL DIRECTORY

Blaylock, G. E.,	xxvi
Bowen & King,	xxiv
Chattelaine Spring Water,	xxiv
Gossard Corset Shop, The,	xxvi
Hanf, Fred T.,	xxvi
Hartzell, Miss T. O.,	xxvi
Henneman,	xxvi
Lee, Dr. W.,	xxvi
Leimkuhler, M. H.,	xxvi
Liverpool, Dr. J. H.,	xxvi
Mergenheim & Yost,	xxvi
National Bank of Baltimore,	xxiv
Roche, Geo. J., & Son,	xxvi

Electrotherapy
Hydrotherapy
Nauheim Bath

Telephone—Madison 5344
DR. CHRISTIAN DEETJEN
1702 Eutaw Place
Institute for Physical Therapeutics

Mechanotherapy
X-Rays and
Radium Laboratory

*Doctor—
If You Want to BUY or SELL*



LOCATION or practice, if you desire an assistant, or to be an assistant, if you have any office equipment which you wish to sell or exchange, you can reach more physicians in the State of Maryland through the MARYLAND MEDICAL JOURNAL than in any other way. Rates, \$1.00 per inch. Twenty-five cents extra if replies are sent through the Journal. Cash, in advance, must accompany copy.

ADDRESS ALL COMMUNICATIONS TO

MARYLAND MEDICAL JOURNAL

608 Professional Building

BALTIMORE, MD.

PICKING UP AFTER GRIP

The essential points are an easily digested blood and tissue maker and well chosen nourishment. For the first purpose



is of distinctive value. It possesses every quality of the crude oil and yet is easily digested and assimilated.

May be continued over long periods without causing gastric distress.
PALATABLE — EASILY ASSIMILATED — FREE FROM GREASE AND THE TASTE OF FISH.

EACH FLUID OUNCE OF HAGEE'S CORDIAL OF THE EXTRACT OF COD LIVER OIL COMPOUND CONTAINS THE EXTRACT OBTAINABLE FROM ONE-THIRD FLUID OUNCE OF COD LIVER OIL (THE FATTY PORTION BEING ELIMINATED) 6 GRAINS CALCIUM HYDROPHOSPHITE, 3 GRAINS SODIUM HYDROPHOSPHITE, WITH GLYCERIN AND AROMATICS.

Supplied in sixteen ounce bottles only.
Dispensed by all Druggists.

Katharmon Chemical Co., St. Louis, Mo.

Katharmon

is the ideal wet dressing for
clean and infected wounds.

Katharmon Chemical Co., St. Louis, Mo.

KATHARMON represents in combination *Hydrastis Canadensis*, *Thymus Vulgaris*, *Mentha Arvensis*, *Phytolacca Decandra*, 10½ grains Acid Borosalicic, 24 grains Sodium Pyrodate to each fluid ounce of pure Distilled Extract of Witch Hazel.

SUBSCRIBE TO THE
Maryland Medical Journal
\$2.00 PER YEAR

THE SALICYLIC ACID FROM THE NATURAL OIL.

Tongaline

MELLIER

ANTI-RHEUMATIC
ANTI-NEURALGIC

Relieves Pain • Allays Fever • Eliminates Poisons.

Samples on Application

MELLIER DRUG COMPANY

St. Louis

Medical Society Meetings

MARYLAND

NOTE.—*Secretaries are requested to advise us promptly of the election of new officers in their respective Societies, that due announcement may be made in the JOURNAL.*

Except where otherwise stated, the Medical Societies of Baltimore meet at the Medical and Chirurgical Faculty building, 1211 Cathedral Street.

MEDICAL AND CHIRURGICAL FACULTY OF MARYLAND. President, J. W. HUMRICHOUSE, M.D.; Secretary, JOHN RICHRAH, M.D.

Baltimore City Medical Society

President, CHAS. E. SADTLER, M.D.; Vice-President, F. H. BAETJER, M.D.; Secretary, EMIL NOVAK, M.D.; Treasurer, W. S. GARDNER, M.D.; Censors, C. E. BRACK, M.D., O. B. PANCOAST, M.D., R. WINSLOW, M.D.; Delegates, GORDON WILSON, M.D., C. F. BURNHAM, M.D., J. M. H. ROWLAND, M.D., JOHN T. KING, M.D., W. A. FISHER, JR., M.D., R. FAYERWEATHER, M.D., H. FRIEDENWALD, M.D., J. H. PLEASANTS, M.D., S. McCLEARY, M.D., J. STAIGE DAVIS, M.D., W. E. BRINTON, M.D.

SECTION OF CLINICAL MEDICINE AND SURGERY. 1st and 3d Fridays, 8:30 P. M.; October to May. Chairman, J. STAIGE DAVIS, M.D.; Secretary, E. B. FREEMAN, M.D.

SECTION OF DERMATOLOGY. 3d Wednesdays. Chairman, J. WILLIAMS LORD, M.D.; Secretary, I. R. PEIS, M.D.

SECTION OF GYNECOLOGY AND OBSTETRICS. 2d Fridays in October, December, February and April. Chairman, J. M. H. ROWLAND, M.D.; Secretary, EMIL NOVAK, M.D.

SECTION OF LARYNGOLOGY. 4th Fridays monthly, 8:30 o'clock. Chairman, LEE COHEN, M.D.; Secretary, G. W. MITCHELL, M.D.

SECTION OF MEDICAL EXAMINERS. 3d Fridays in November and March. Chairman, J. D. IGLEHART, M.D.; Secretary, W. E. MAGRUDER, M.D.

SECTION OF NEUROLOGY. 2d Friday, monthly. Chairman, C. M. BYRNE, M.D.; Secretary, D. V. STUART, M.D.

SECTION OF OPHTHALMOLOGY AND OTOLOGY. 3d Wednesdays. Chairman, J. W. DOWNEY, JR., M.D.; Secretary, L. B. WHITHAM, M.D.

County Societies

ALLEGANY COUNTY MEDICAL SOCIETY. President, J. T. JOHNSON, M.D., Cumberland; Secretary-Treasurer, M. J. SIMMONS, M.D., Cumberland, Md.; Delegate, A. LEO FRANKLIN, M.D.

ANNE ARUNDEL COUNTY MEDICAL SOCIETY. President, T. H. BRAYSHAW, M.D., Glenburnie, Md.; Secretary, L. B. HENKEL, JR., M.D., Annapolis, Md.; Treasurer, F. H. THOMPSON, M.D., Annapolis, Md.; Delegate, C. R. WINTERSON, M.D.

BALTIMORE COUNTY MEDICAL SOCIETY. President, G. C. MCCORMICK, M.D., Sparrows Point, Md.; Secretary, J. C. MONMONTIER, M.D., Catonsville, Md.; Treasurer, F. C. ELDER, M.D., Sparrows Point, Md.; Delegate, H. L. NAYLOR, M.D., Towson, Md.

CALVERT COUNTY MEDICAL SOCIETY. President, COMPTON WILSON, M.D., Friendship, Md.; Secretary-Treasurer, J. W. LEITCH, M.D., Hightstown, Md.; Delegate, J. P. BRISCOE, M.D.

CAROLINE COUNTY MEDICAL SOCIETY. President, W. W. GODSBOROUGH, M.D., Greensboro, Md.; Secretary-Treasurer, J. R. DOWNES, M.D., Preston, Md.; Delegate, H. W. B. ROWE, M.D., Hillsboro, Md.

CARROLL COUNTY MEDICAL SOCIETY. President, C. R. FOUTZ, M.D., Westminster, Md.; Secretary-Treasurer, H. M. FITZHUGH, M.D., Westminster, Md.; Delegate, M. D. NORRIS, M.D.

CECIL COUNTY MEDICAL SOCIETY. President, A. H. CANTWELL, M.D., North East, Md.; Secretary-Treasurer, H. BRATTON, M.D., Elkton, Md.; Delegate, G. H. RICHARDS, M.D.

CHARLES COUNTY MEDICAL SOCIETY. President, JOHN W. MITCHELL, M.D., Pomona, Md.; Secretary-Treasurer, THOMAS S. OWEN, M.D., La Plata, Md.; Delegate, L. C. CARRICO, M.D.

DORCHESTER COUNTY MEDICAL SOCIETY. President, GRY STEELE, M.D., Cambridge, Md.; Secretary-Treasurer, W. H. HOUSTON, M.D., Fishing Creek, Md.; Delegate, E. E. WOLFF, M.D., Cambridge, Md.

FREDERICK COUNTY MEDICAL SOCIETY. President, M. A. BEELEY, M.D., Thurmont, Md.; Secretary, B. O. THOMAS, M.D., Frederick, Md.; Treasurer, W. C. JOHNSON, M.D., Frederick, Md.; Delegate, J. C. ROUTSON, M.D., January, April, August and November.

HARFORD COUNTY MEDICAL SOCIETY. President, A. F. VAN BIBBER, M.D., Belair, Md.; Secretary-Treasurer, CHARLES BAGLEY, M.D., Bagley, Md.; Delegate, W. S. ARCHER, M.D., 2d Wednesdays in January, March, May, July, September and November.

HOWARD COUNTY MEDICAL SOCIETY. President, W. C. STONE, M.D., Ellicott City, Md.; Secretary-Treasurer, W. L. CISSEL, M.D., Highland, Md.; Delegate, W. R. WHITE. Meetings quarterly first Tuesdays in January, April, July and October.

KENT COUNTY MEDICAL SOCIETY. President, H. G. SIMPERS, M.D., Chestertown, Md.; Secretary-Treasurer, F. B. HINES, M.D., Chestertown, Md.; Delegate, F. B. HINES, M.D.

MONTGOMERY COUNTY MEDICAL SOCIETY. President, F. N. HENDERSON, M.D., Rockville, Md.; Secretary-Treasurer, C. H. MANNAR, M.D., Rockville, Md.; Delegate, W. L. LEWIS, M.D., 3d Tuesdays in April and October.

PRINCE GEORGE'S COUNTY MEDICAL SOCIETY. President, H. B. McDONNELL, M.D., College Park, Md.; Secretary, S. M. McMILLAN, M.D., Riverdale, Md.; Treasurer, W. ALLEN GRIFFITH, M.D., Berwyn, Md.; Delegate, L. A. GRIFFITH, M.D., 2d Saturday of every second month.

QUEEN ANNE'S COUNTY MEDICAL SOCIETY. President, C. P. KEMP, M.D., Stevensville, Md.; Secretary-Treasurer, H. F. MCPHERSON, M.D., Centerville, Md.; Delegate, J. W. STACK, M.D.

SOMERSET COUNTY MEDICAL SOCIETY. President, R. R. NORRIS, M.D., Crisfield, Md.; Secretary-Treasurer, H. M. LANKEFORD, M.D., Princess Anne, Md.; Delegate, C. W. WAINWRIGHT, M.D., 1st Tuesday in October, at Princess Anne.

TALBOT COUNTY MEDICAL SOCIETY. President, SAMUEL THIPE, M.D., Royal Oak, Md.; Secretary-Treasurer, A. MCC. STEVENS, M.D., Easton, Md.; Delegate, J. A. STEVENS, M.D. Annual meeting 3d Thursday in November and semi-annual meeting 3d Tuesday in May.

WASHINGTON COUNTY MEDICAL SOCIETY. President, W. B. MORRISON, M.D., Hagerstown, Md.; Secretary, V. D. MILLER, M.D., Hagerstown, Md.; Treasurer, W. B. MORRISON, M.D., Hagerstown, Md.; Delegate, V. D. MILLER, M.D., 2d Thursdays of February, May, September and November.

WICOMICO COUNTY MEDICAL SOCIETY. President, J. M. ELDERDICE, M.D., Mardela Springs; Secretary and Treasurer, H. S. WAILES, M.D., Salisbury, Md.; Delegate, G. W. TODD, M.D.

WORCESTER COUNTY MEDICAL SOCIETY. President, R. LEE HALL, M.D., Pocomoke City, Md.; Secretary and Treasurer, E. E. WISEHART, M.D., Snow Hill, Md.; Delegate, J. L. RILEY, M.D., Snow Hill, Md.

Panopepton

Panopepton—for “conservation of energy” in **Pneumonia** and during the convalescence, a food especially adapted to reinforce and conserve energy without taxing digestion, a non-putrefactive food.

The substantial food substance of **Panopepton** (of entire wheat and lean beef) is already elaborated into a perfectly assimilable form, ready for physiological translation into terms of energy, of nutrition, without effort on the part of the organism.

With sincere belief in **Panopepton**, based upon every consideration, including thoroughly established clinical data, we beg to call attention to the great actual and possible service of this food in **Pneumonia**.

Fairchild Bros. & Foster
New York

RX

OFFICE HOURS 9 TO 10 A.M.-2 TO 4 P.M.

Alcrest Tablets of Ipecac No. XL


These tablets are uncoated and disintegrate readily—yet they are truly enteric and—

Cause No Nausea

They provide a satisfactory method of administering the alkaloids of ipecac by mouth.

Alcrest Tablets of Ipecac destroy the endamebas of dysentery, pyorrhea and tonsillitis, which are the portals of infection in many cases of arthritis, endocarditis, thyroiditis and similar infectious processes.

Supplied in bottles of 40 and 500 tablets. Write for further information.



ELI LILLY & COMPANY

INDIANAPOLIS, U. S. A.

New York

Chicago

St. Louis

Kansas City

New Orleans

PRUNOIDS

For the Permanent Relief of
CONSTIPATION

CACTINA PILLETS

Regulate, support and strengthen the heart.

SENG

A trustworthy gastric tonic.

An ideal laxative free from the usual drawbacks of cathartics. Used with exceptional success in Intestinal Stasis, Obstipation, Auto-intoxication, or whenever a safe and pleasant evacuant is needed.

SULTAN DRUG CO.

St. Louis, Mo.

BOARDING AND REST CURE

For invalids and convalescents, feeble men and women and sufferers from nervous trouble. Intelligent care and scientific treatment. Prices reasonable.

PENN LUCY PLACE

Penn Lucy Avenue and Old York Road

BALTIMORE, MD.

No Cod Liver Oil Like BAKER'S

The reason is in the great care in the selection of **fresh perfect livers** and **special care in preparation**. It is a Norwegian Oil of highest purity obtainable, light in color, fresh and bland in taste, and extracted from the livers before decomposition has set in, imported in the colder months of the year in sealed cans and bottled as soon as opened to avoid the least rancidity. The Lofoton Oil is made only in midwinter, and has been proven superior to oils obtained from other parts of the world. Test its value by prescribing **BAKER'S OIL** in your first suitable case. The best names in the profession, such as Jackson, Mutter, Daragh, Leidy, Angew, Bartholow and others, have voluntarily endorsed our product.

JOHN C. BAKER CO.

Established 1830

PHILADELPHIA, PA.

SVAPNIA

A substitute for opium with many advantages over the latter drug, yet possessing all its anodyne effects. A product that has been employed by the profession for 25 years.

Contains: { Morphine 43.75 grains per ounce.
Codeine 2.13 grains per ounce.

SVAPNIA being a refined product with exact dosage is therefore a most valuable substitute for opium and morphine. It has greater palatability and is less likely to disturb the stomach. Its dosage for therapeutic requirements is accurately gauged, thus minimizing the danger of habit formation.

SVAPNIA appears in red-brown scales. It is soluble in water but is preferably given in pill, capsule or powder.

Sold by druggists generally.
THE CHARLES N. CRITTENTON CO., Distributing Agents.
115 Fulton Street, New York.

*Samples and literature to physicians on request
if accompanied by Federal order.*

GIDDINGS & ROGERS CO.

210 Guilford Avenue
BALTIMORE, MD.

We Have the Facilities for Printing all Orders, from the Smallest to the Largest. We are Prompt. Our Prices are Reasonable

ESTIMATES CHEERFULLY GIVEN

*Printers Steel Die Engravers Lithographers
Blank Book Makers*

Pil. Cascara Comp.—Robins

Mild, 1 Grain

Strong, 4 Grains

For **INDIGESTION, DYSPEPSIA and CONSTIPATION**

Samples and Literature on Request

RICHMOND

A. H. ROBINS COMPANY

VIRGINIA

J. EDWARD McGINLEY, President T. D. ROBERTS, Vice-President J. H. ROSENAU, Secy.-Treas.

Fleet-McGinley Company **Printers**


ESPECIALLY EQUIPPED FOR THE PRODUCTION OF GENERAL PRINTING AND
HIGHEST GRADE OF COMMERCIAL WORK

N. W. Cor. South and Water Sts.


BALTIMORE, MD.

The Chas. Willms Surgical Instrument Co.

300 NORTH HOWARD STREET, BALTIMORE, MD.



TRUSSES
ABDOMINAL SUPPORTERS
ELASTIC HOSIERY
HOT WATER BOTTLES
FOUNTAIN SYRINGES



Discount to Physicians 25 Per Cent.

Lady Attendant

Hospital and Institution Beds and Bedding


Furniture, Rugs
Bedding and Upholstery

POLLACK'S
ISAAC DAVIDSON &
WM. B. FALLON, Prop's.

We are Specialists
IN THIS LINE

Howard and Saratoga Sts.
BALTIMORE, MD.

Estimates Solicited



HEALTH

Physiology in One Lesson

1. What is the biggest thing in life?
Answer: Health.
2. Why is health the biggest thing in life?
Answer: Because without it all other achievements are well-nigh impossible.
3. How is health to be obtained and retained?
Answer: By supplying your body with good food and the proper kind and amount of exercise.
4. What kind of exercise should be indulged in?
Answer: Systematic.
5. What is systematic exercise?
Answer: That kind which one takes regularly as one does his meals and his sleep—that kind which fits one's peculiar needs and condition.
6. How is a busy business man to get systematic exercise without neglecting his other duties?
Answer: By enrolling at the Collins System of Physical Culture, where resistant exercises of the systematic health-building kind are supplied by Director F. L. Young and his healthy associates individually at any hour of the day from 9 A. M. until 7 P. M.
7. Can this system be investigated?
Answer: Most certainly! It is vouched for by scores of the most prominent business men in Baltimore, and a trial treatment is gladly given. A postal will bring "The One Big Business," a most interesting booklet.
8. Where is the Collins System located?
Answer: On the sixth floor of the Title Building, Courthouse Plaza. The phone number is St. Paul 6714.

(Author's Note.—Investigation by physicians solicited.)

University of Maryland

DENTAL DEPARTMENT

The regular Winter Session begins on October 1st of each year, and continues until the following May.

The Annual Catalogue contains Course of Study, Terms, etc. Attendance upon three regular Winter Sessions will be required before the final examinations for the degree of Doctor of Dental Surgery.

Graduates of Medicine and those who have attended one or more previous sessions at a reputable dental school admitted to higher grades. The requirements for admission are the same as in all other reputable dental colleges.

FEES

Matriculation (paid once only).....	\$ 5.00
Tuition Fee.....	150.00
Diploma Fee.....	30.00
Dissecting Fee (paid once only).....	10.00

Students who have attended a Session of this, or any other College, prior to 1906-1907, are admitted on the old fees. For information and Annual Catalogue, Address

T. O. HEATWOLE, M.D., D.D.S., Dean
BALTIMORE, MD.

Medical and Chirurgical Faculty OF MARYLAND.

OFFICERS AND COMMITTEES FOR 1915

President

J. W. Humrichouse.

Vice-Presidents

A. McGlannan, J. E. Deets, R. Lee Hall.

Secretary

John Ruhrah.

Treasurer

W. S. Gardner.

Board of Trustees

L. McL. Tiffany,	D. E. Stone,
W. Brinton,	T. A. Ashby,
J. M. H. Rowland,	J. W. Humrichouse,
W. J. Todd,	J. W. Chambers,
G. L. Taneyhill,	H. M. Hurd.

State Board of Medical Examiners

Herbert Harlan,	Harry L. Homer,
B. W. Goldsborough,	Albert L. Wilkinson,
Henry M. Fitzhugh, Jr.,	John L. Riley,
Lewis A. Griffith,	J. McP. Scott.

Councillors

Hiram Woods,	C. O'Donovan,
L. F. Barker,	L. C. Carriero,
G. Milton Linthicum,	Peregrine Wroth, Jr.,
R. Lee Hall,	Guy Steele,
W. C. Archet,	David Streett,
	J. S. Bowen.

Delegates to American Medical Association

1914-1915.

G. Lane Taneyhill,	J. Hall Pleasants.
	Alternates: D. E. Stone.
E. B. Claybrook,	

Committee on Scientific Work and Arrangements
Wm. A. Fisher, J. M. H. Rowland, John Ruhrah,
A. M. Shipley.

Committee on Midwifery

L. B. Whitham,	E. V. Beilher,
M. Sherwood,	V. D. Miller, Jr.,
	T. A. Ashby.

Library Committee

J. W. Williams,	L. F. Barker,
V. M. Reichard,	H. B. Jacobs,
	R. B. Warfield.

Memoir Committee

J. T. Smith,	G. L. Wilkins,
A. T. Shelly,	T. B. Johnson,
	G. S. Dare.

Committee for Fund for Relief of Widows and Orphans of Deceased Members.

W. E. Brinton,	J. M. Hundley,
H. M. Wilson,	C. W. Whalen,
	W. F. Taylor.

Committee on Public Instruction

Emil Novak,	Lillian Welsh,
S. J. Fort,	A. H. Carroll,
	W. D. Wise.

Committee on Medical Education

Herbert Harlan,	J. W. Williams,
W. F. Lockwood,	R. Winslow,
	Pearce Kintzing.

Committee on Sanitary and Moral Prophylaxis

D. R. Hooker,	O. E. Janney,
Lillian Welsh,	A. T. Chambers,
	E. H. Richardson.

Committee on Tuberculosis

J. Girdwood,	W. L. Moss,
V. Cullen,	M. F. Sloan,
	G. W. Todd.

BOARD OF MEDICAL EXAMINERS

OF MARYLAND

Dr. Herbert Harlan, President, 516 Cathedral St., Baltimore.

Dr. B. W. Goldsborough, Cambridge.

Dr. Henry M. Fitzhugh, Jr., Westminster.

Dr. Lewis A. Griffith, Upper Marlboro.

Dr. Harry L. Homer, 714 Park Ave., Baltimore.

Dr. Albert L. Wilkinson, Raspeburg, Md.

Dr. John L. Riley, Snow Hill, Md.

Dr. J. McP. Scott, Secretary and Treasurer Hagerstown.

REGULAR MEETINGS OF THE BOARD OF MEDICAL EXAMINERS OF MARYLAND.

Fourth Tuesday in April.

First Tuesday in June.

First Wednesday in October.

First Wednesday in December.

REGULAR EXAMINATIONS.

Examinations are held in Baltimore—

Third Tuesday in June for four consecutive days.

Second Tuesday in December for four consecutive days.

RECIPROCITY.

Maryland is in reciprocal relation with the following States: Georgia, Illinois, Indiana, Iowa, Kansas, Kentucky, Maine, Michigan, Minnesota, Missouri, Nebraska, New Hampshire, Ohio, Oklahoma, South Carolina, Texas, Vermont, Virginia, West Virginia and Wisconsin, subject to requirements and fees imposed by the respective States.

Information connected with medical examinations and licensure by addressing Secretary J. McP. Scott, Hagerstown, Md.

REPRINTS.

Reprints will be furnished at a uniform schedule of price to all. The charges are for actual cost of paper and presswork. Prices and full information furnished with galley proof or upon request.

Therapeutic Value of Continuous Moist Heat

as conveniently, comfortably, uniformly maintained for many hours, by the use of

Antiphlogistine

TRADE MARK

Heat, in the treatment of Inflammation, is a rational, scientific procedure. In all inflammatory areas there is, already, or soon will be, *a zone of stasis, as a result of congestion*. . . . Heat tends to liquefy, expand, activate. Cold (advocated by some clinicians today) tends to solidify, contract, render inactive. *Therefore—the logical treatment for stasis is—not Cold, but Heat—continuous, moist heat.*

It is well to think of Antiphlogistine in *Bronchitis, Pneumonia, Pleurisy, Rheumatism, etc.*

Physicians should WRITE "Antiphlogistine" to AVOID "substitutes"

"There's only ONE Antiphlogistine"

Main Office and Laboratories

THE DENVER CHEMICAL MFG. CO., NEW YORK, U. S. A.

Branches: LONDON, SYDNEY, BERLIN, PARIS, BUENOS AIRES, BARCELONA, CAPE TOWN



CONSERVATION OF NERVOUS ENERGY,

so essential in the management of Disorders of the Sexual Sphere, is well secured with

PASADYNE

(DANIEL'S CONCENTRATED TINCTURE)
OF PASSIFLORA INCARNATA.

It should be borne in mind that PASADYNE (Daniel) is but the distinctive name for a superior product of passiflora—the ideal sedative.

NON-DEPRESSING, NON-HABITUATING.

It has no concern with the Harrison Act.

SAMPLES AND LITERATURE SUPPLIED TO PHYSICIANS PAYING THE EXPRESS CHARGES.

Laboratory of JOHN B. DANIEL, Inc., Atlanta, Georgia.

CHIONIA

A true hepatic stimulant that does not produce catharsis

PEACOCK'S BROMIDES

*The BEST because the PUREST
for prolonged Bromide Treatment*

Remarkably serviceable in the treatment of Biliary, Jaundice, Intestinal Indigestion, and the many conditions caused by hepatic torpor.

PEACOCK CHEMICAL CO.
St. Louis, Mo.

Practical Sanitation

A Handbook for Health Officers AND Practitioners of Medicine

BY

FLETCHER GARDNER, M.D.,

Captain Medical Corps, Indiana National Guard; First Lieutenant Medical Reserve Corps, U. S. Army;
Health Commissioner Monroe
County, Indiana.

JAMES PERSONS SIMONDS, B.A., M.D.,

Professor of Preventive Medicine and Bacteriology
Medical Department, University of Texas;
lately Superintendent Indiana State
Laboratory of Hygiene.

With an Introduction by J. N. HURTY, M.D., Health Commissioner of Indiana

400 Pages

40 Illustrations

Price, \$4.00

This volume aims to provide a safe way for the health officer to meet any emergency that may arise. Since sanitary officers in small places, out of the reach of libraries, are most in need of such a work, and since they are ill-paid, the authors have endeavored to provide a book at a moderate price which covers public health and sanitation in a concise but practical manner.

THE C. V. MOSBY CO.—Medical Publishers—ST. LOUIS, U. S. A.

GLYCO-THYMOLINE


(TRADE MARK)

AS A SURGICAL DRESSING

A Typical Case Treated with Glyco-Thymoline in a French Military Hospital.

Moroccan trooper wounded by bursting shell at the battle of the Aisne, September, 1914.

Wound first cleaned with Hydrogen Peroxide and then swabbed with full strength Glyco-Thymoline. The orifice was covered with a compress of gauze saturated with a 25% solution of Glyco-Thymoline and covered with cotton and oiled silk. Dressing changed every six hours.



After nine weeks treatment with Glyco-Thymoline. Note that complete cicatrization has taken place.

A Free Sample to any Physician returning this Advertisement with his name and address.

KRESS & OWEN COMPANY, 361-363 PEARL STREET, NEW YORK

Hon. HENRY D. HARLAN, LL.D.
Dean
1061 Calvert Building
Formerly Chief Judge, Supreme Bench, Baltimore City

EDWIN T. DICKERSON
Attorney-at-Law
Secretary and Treasurer
301 St. Paul Street

THE LAW SCHOOL

OF THE

UNIVERSITY OF MARYLAND

Lombard and Greene Streets

BALTIMORE, MD.

A DAY SCHOOL and a NIGHT
SCHOOL, with the same
Faculty, requirements, course
of instruction and fees in each.

LECTURES { DAY SCHOOL, 4-7 P. M.
 { NIGHT SCHOOL, 6-9 P. M.

FOR CATALOGUE AND FURTHER INFORMATION, APPLY TO

EDWIN T. DICKERSON

Secretary and Treasurer

301 St. Paul Street

BALTIMORE, MD.

To
BUILD
 UP
To
BRACE
 UP
To
TONE
 UP

Supplied in 11-ounce bottles
 only—never in bulk.

Samples and literature sent upon
 request.

Prescribe original bottle to avoid
 substitution.

In ANY form of DEVITALIZATION
 prescribe

Pepto-Mangan (Gude)

Especially useful in

ANEMIA of All Varieties:
 CHLOROSIS: AMENORRHEA:
 BRIGHT'S DISEASE: CHOREA:
 TUBERCULOSIS: RICKETS:
 RHEUMATISM: MALARIA:
 MALNUTRITION: CONVALESCENCE:
 As a GENERAL SYSTEMIC TONIC
 After LA GRIPPE, TYPHOID, Etc.

DOSE: One tablespoonful after each meal.
 Children in proportion.

M. J. BREITENBACH COMPANY
 New York, U. S. A.

Our Bacteriological Wall Chart or our Differential Diagnosis Chart will be sent to any Physician upon request.

CACTINA PILLETS

A dependable cardiac tonic for
 FUNCTIONAL DISORDERS OF THE HEART

PRUNOIDS

*A physiologic laxative that does not
 gripe or cause after-constipation.*

SENG

stimulates gastro-intestinal functions.

A remedy of proven efficiency for supporting,
 strengthening, and regulating the heart's action.

SULTAN DRUG CO., St. Louis, Mo.

ECTHOL

(BATTLE)

BATTLE & CO., Chemists' Corporation, St. Louis, Mo.

EXERTS A GENERAL EFFECT
 IN SYSTEMIC INFECTIONS
 WHICH ONLY THE MAN AC-
 QUAIANTED WITH ITS THERA-
 PEUTIC POWERS CAN APPRE-
 CIATE. FOR THIS REASON
ECTHOL IS OF DEFINITE
 VALUE IN **CARBUNCLE**,
ANTHRAX AND LIKE
 CONDITIONS.



**Absolutely
UNIFORM MILK**

THE CITY DAIRY begs to announce that the 9-cent milk of the Gardiner and Pikesville Branches is absolutely alike and therefore interchangeable. Similarly, the 10-cent or Selected Milk of the Schier and Pikesville Branches is likewise interchangeable. This splendid condition—so important in infant feeding—has existed for some months, and has been noted all over the city with much satisfaction.

City Dairy

Gardiner Branch, "Mt. Vernon 860"
Pikesville Branch, "Madison 2222"
Schier Branch, "Homewood 193"

Hydroleine

→ An ethical emulsion of cod-liver oil without medicinal admixture.

The manner in which the purest and freshest cod-liver oil is emulsified in Hydroleine, makes it easily digestible. Furthermore, Hydroleine does not offend the taste. Its nutty and distinctive flavor is liked by the most delicate palate, and children take it willingly.

In practice it is markedly utilizable, and is reliably stable. It is effective as a food-fat and possesses superior characteristics.

In Long-continued Professional Use Hydroleine Has Proved Its Dependability

THE CHARLES N. CRITTENTON CO.
115 Fulton Street, New York

Sold by druggists

Sample sent to physicians on request.

ERGOAPIOL

(Smith)

For
AMENORRHEA
DYSMENORRHEA
MENORRHAGIA
METRORRHAGIA
ETC.

ERGOAPIOL (Smith) is supplied only in packages containing twenty capsules.

DOSE: One to two capsules three or four times a day. ↗ ↗ ↗

SAMPLES and LITERATURE SENT ON REQUEST.

MARTIN H. SMITH COMPANY, New York, N.Y.—U.S.A.



GALEN HALL

Wernersville, Pennsylvania

Nine Miles from Reading, Pa.
Direct Trains to Wernersville via Philadelphia and Harrisburg

A First-Class Hotel

With Sanatorium Advantages, Splendid Baths for Health or Pleasure, and Resident Physician

Beautifully Furnished, Superior Table

Same Management as Atlantic City House

MARYLAND MEDICAL JOURNAL

A Journal of Medicine and Surgery

Vol. LIX, No. 3

BALTIMORE, MARCH, 1916

Whole No. 1174

DISEASES OF THE RECTUM.*

By *Harold Edmund Dunn, M.D.*,
Washington, D. C.

*Mr. President, Members of the
Prince George's County Medical Society:*

At the request of your secretary, Dr. McMillan, I have the honor to read to you today a short paper on Diseases of the Rectum. I have chosen for a theme the examination of patients and the diagnosis of conditions. It is my desire to give you something of interest and real practical value in this much-neglected line of thought.

Very few of the medical colleges of the country give a separate or special course of instruction on the subject of rectal diseases. A few lectures from the Chair of Surgery are usually all that the majority of medical students receive. "To tie off a pile and insert a grooved director through a fistulous tract, severing the intervening tissues with one sweep of the knife" is frequently about all students remember of this subject. This is unfortunate for the doctor and more so for suffering humanity, but a Godsend to the charlatan and the long array of pile cures that meet us through the advertising pages of our daily literature.

Most physicians have neither the time nor special knowledge and experience necessary to successfully treat diseases of the rectum. The demands on the general practitioner are so numerous and varied that it is difficult to keep regular office appointments with patients of this class. Positive punctuality on the part of both physician and patient is one of the essentials to the successful outcome of these cases, essential to the physician so that he can treat the patient sufficiently often and essential to the patient because if disappointed many times by the physician, owing to emergency or confinement cases, he loses interest and ceases to call. Nevertheless, from the standpoint of examination and diagnosis, the general practitioner, in many instances, can render valuable assistance to the rectal sufferer by a careful examination and an accurate diagnosis. By such means the farseeing physician will

*Read, by invitation, before the Prince George County Medical Society of Maryland, October 9, 1915.

retain the confidence of these patients and prevent them from drifting into the hands of quacks or patent medicine promoters.

We now come to the technique of examination. First of all, let me say that if the examination is going to be painful and nerve-racking to the patient it better be deferred. One experience of this kind is often the last, and the patient either continues to endure or seeks advice elsewhere. Posture is another important factor. It is better not to put your patients, especially women, in the knee-chest position. It is humiliating and unnecessary in the great majority of cases. The Sims position answers all requirements from the standpoint of examiner, and is eminently more satisfactory to the patient. The preliminary to all examination technique should be, of course, a complete case history. Following this, external inspection of the anal and peri-anal regions is made. Here one may diagnosticate hypertrophied cutaneous skin folds (the so-called external piles); the thickened, macerated condition of the peri-anal skin will suggest pruritus, with its many causes; condylomata may be in evidence; the openings of a fistulous tract, a thrombotic hemorrhoid (which has been humorously termed rectal apoplexy); scars or keloid formations showing the hand-work of some other protologic artist may greet your eyes, and I might say that I have had the fortune or misfortune to see some wonderful pictures. Eversions of the rectal mucosa, prolapsus recti, fissures, protruding internal hemorrhoids, with or without peri-anal edema; an occasional polypus held in the grasp of the sphincter, dilatation of the peri-anal veins; tubercular ulceration, superficial, sub tegumentary and ischio-rectal abscesses; a possible sinus at the sacro-coccygeal articulation. These are the principal conditions that can be made out by external inspection. I might add that the presence of an abundance of long, fine, silky hair about the anus is significant of a serious constitutional or malignant condition. The absence of the puckered or wrinkled folds of the anal skin, in other words, a smooth, rather patulous anus, is frequently the very first symptom of locomotor ataxia.

External palpation will then elicit the presence or absence of indurations, and right here let me say, gentlemen, "watchful waiting" is a poor policy. It is more, it is a dangerous policy to follow when dealing with abscess in this region of the body. Fluctuation of pus, except in the most superficial infections, is rarely obtained in this portion of the human anatomy. The loose cellular tissues, the fat accumulations and tough integument make rapid extension of pus, and consequently extension of infection, or complications, the usual rule. Early incision, with due regard for anatomical relationships, thorough drainage and subsequent dressings, is the rational treatment of these cases.

Contrary to many surgical authorities, I will say that abscesses in this region, properly opened and properly dressed, do not result in fistula. Furthermore, where the integrity of the sphincter muscles is not involved, the severance of these muscles in the treatment of abscess is seldom necessary. External palpation will often

show the direction of a fistulous tract, and the condition of the external sphincter, whether contracted, quiescent or patulous.

Next we come to the internal examination of the rectum, and right here let me say it is never advisable to use a bivalve speculum unless your patient is under a general anesthetic; that is, if you want to retain the respect of your patient and the continuance of your daily administrations. The mechanism of a painless rectal examination with a speculum lies in the displacement of the sphincter in all directions equally at the same time, and this is best done with one of the various tubular specula or proctoscopes on the market. Internal hemorrhoids, polypi, the internal openings of fistulae, acute or chronic inflammatory conditions of the rectal mucosa, foreign bodies, degrees of prolapsus, stricture; abnormal growths, malignant and benign; the presence of free pus or blood within the rectum, chancre and capillary hemorrhoids can be seen and verified.

As a preliminary to all instrumental examination of the rectum, a careful exploration with the lubricated finger is an absolute rule. Internal hemorrhoids that have undergone fibrous changes can be felt, openings of fistulae, polypi, foreign bodies, strictures within reach, sphincteric irritability and hypertrophy, ballooning of the rectal cavity, fecal impaction, abnormal growths, prostatic enlargement, displaced uteri and other gynecological conditions, a deformed or sensitive coccyx, submucous collections of pus, pelvic-rectal and retro-rectal abscesses can all be determined by the educated finger.

By means of the air dilating type of proctoscope, electrically illuminated, the rectal valves, ampulla and the sigmoid cavity can be inspected and treated. The proctoscopic limit of examination in the normal subject is about the apex of the sigmoid.

I am very much opposed to the various colonoscopes now in the market. They are both dangerous and unnecessary. If a patient's sigmoid or colon is diseased it is unsafe to insert such an affair, as puncture of the intestine is an easy matter in such cases. Peritonitis—a laparotomy or death, or all of these—may be the result of such a hazardous procedure. On the other hand, if the sigmoid and colon are in a healthy, resistant condition there is no need for the insertion of this formidable instrument. Therefore, I see no use for it, and recommend the discontinuance of its manufacture, not only as a measure of safety to present and future generations, but as an economy of the recent graduate's meagre supply of outfit money.

There is another rectal fallacy that I would like to mention this afternoon, and that is the much-used rectal tube. It is impossible to pass a rubber rectal tube into the colon of a normal human being. After its apparently successful introduction, insert a finger alongside of it and you will find it nicely coiled up like a snake in the rectal pouch. Radiographs have demonstrated the failure of the rectal tube in many experiments. There is an especially pernicious tube that has recently appeared on the market. This is reinforced

with metal like the tubing of an auto horn. With a weapon of this kind a tremendous amount of damage can be done at one end if there is a specially energetic nurse at the other who is going to give it "high" at any cost.

By simple gravity, the douche bag low down, an ordinary rectal tip a couple of inches within the rectum, the patient lying on the left side with hips elevated, fluid will just naturally run up the descending colon, and then, by a change of position to the right side, the patient will soon feel the gurgling and weight of the fluid in the ascending colon. One quart of any fluid is considered the limit of positive safety in the majority of adults, except, of course, in the presence of contraindications—for example, typhoid fever—and then less is used.

Another thing against which I wish to place myself on record is the Whitehead operation for hemorrhoids. I consider this nothing less than a surgical mutilation, frequently attended with dire consequences. To wear a napkin for the rest of one's days, or to be blessed with an incurable stricture, or an intolerable pruritus, is a poor exchange for a few piles. Conservative methods, scientifically applied, frequently render operative procedures unnecessary. Conservation (excepting the devastating conflict now raging in Europe) is the keynote of the present century.

In closing, let me say, as a general axiom, there are more things in medicine missed by not looking than by not knowing. Observation is half the battle. Bring your diagnosis down to an ocular demonstration whenever possible, and especially in diseases of the rectum.

NATHAN SMITH, NATHAN R. SMITH AND ALAN P. SMITH—A MEDICAL FAMILY.*

By Henry M. Hurd, M.D.

As peculiarly appropriate in a gathering of Baltimore physicians, to whom the name of Nathan R. Smith is a familiar one, I have been asked to give a brief account of the memoir of Nathan Smith recently written by Mrs. Alan P. Smith and published by the Yale Press, and to add some facts in reference to his son, Nathan R. Smith, and his grandson, Alan P. Smith. The memoir as originally written contained sketches of the lives of these three men, and it was hoped that its publication might appeal to the three institutions which were individually interested—the Medical School of Yale University, which Nathan Smith founded; the University of Maryland, where Nathan Ryno Smith, his son, and Alan P. Smith, his grandson, did their life work, and the Johns Hopkins Hospital and University, in both

*Abstract of a paper presented by Dr. H. M. Hurd at the meeting of the Book and Journal Club, January 18, 1916.

of which institutions Alan P. Smith was a faithful trustee and valued adviser. If the work had been properly presented to these three foundations there is every reason to think that it might eventually have been published in this manner; but the celebration of the hundredth anniversary of the founding of the Yale Medical School, in 1914, suggested the wisdom of making an immediate appeal to the Yale Press; and as this proved successful only as far as the volume related to Nathan Smith, it was deemed advisable to limit the publication to his life. The material relating to Nathan R. Smith and Alan P. Smith remains unpublished, but I am not without hope that the friends of the two remaining institutions may undertake its publication jointly.

Nathan Smith came of good English stock, and was born at Rehoboth, Mass., in 1762. His father afterward removed to a farm at Chester, Vt., where Nathan grew up with only the scanty opportunities for an education afforded by a pioneer country. The first record we get of him was his service in the Vermont Militia, when he was called out to protect the inhabitants from the Indians. Later he taught in a district school, and while thus employed he was called upon to assist Dr. Goodhue, a noted Vermont surgeon of the time, in the amputation of a leg. He was so much interested in the operation that he applied to Dr. Goodhue to be taken on as a medical student, but was sensibly advised to go home and study more, or until he was qualified to enter the freshman class at Harvard. He spent a year or more in study with a clergyman at Rockingham, Vt., and at the age of twenty-two went to Dr. Goodhue at Putney, Vt., and remained his office student for the following three years. In 1787—at the age of twenty-five—without any other medical instruction, he went to Cornish, N. H., and established himself in practice. Here he remained two years, and then went to Cambridge, where, in the Harvard Medical School, he attended the lectures of Dr. John Warren in Surgery, Dr. Aaron Dexter in Chemistry and *Materia Medica*, and Dr. Benjamin Waterhouse in Medicine. In 1790 he received the degree of M.B. With his diploma he returned to Cornish. In 1796—after failing to secure the establishment of a professorship of medicine in connection with Dartmouth College—he arranged to go abroad to study at the University of Edinburgh. He was obliged to exercise the strictest economy in order to make the journey, and even then upon borrowed money. He seems to have been a diligent student in Edinburgh, and after spending three months in London he returned home to Cornish in September, 1797. In the same autumn he delivered a course of lectures at Dartmouth as professor of medicine, although he was not appointed until the following year. In August, 1798, two of his students received the degree of M.B., and the degree of A.M. was at the same time conferred upon himself.

The interest excited by his instruction in this new department

is illustrated by an anecdote related by a gentleman who was an undergraduate in the college:

"President Wheelock came from Dr. Smith's lecture-room to evening prayers in the old chapel, and gave thanks in substance as follows: 'Oh, Lord! we thank Thee for the oxygen gas; we thank Thee for the hydrogen gas; and for all the gases. We thank Thee for the cerebrum; we thank Thee for the cerebellum, and for the medulla oblongata.'"

Before many years a commodious building was erected for the Medical School, which is still in existence. In the year 1812 Dr. Smith decided to go to New Haven to establish a medical school in connection with Yale College. The school opened in October, 1813, with a class of thirty students. In 1820 he became connected with the Medical School at Brunswick, Me., in connection with Bowdoin College, where he delivered various lectures to a class of twenty-one students; but within a few years, we are informed in the *Memoir*, the class had increased to nearly a hundred. He also, when his son, Dr. Nathan R. Smith, became connected with the Medical School at Burlington, Vt., visited the school and delivered courses of lectures there. Very soon, however, he gave up these outside duties and concentrated his work at New Haven, where he seems to have been extremely successful. He died in 1829.

His remarkable contribution to Medicine was his method of treating typhoid fever by cold affusions. His greatest contribution to Surgery was unquestionably his "Pathology and Treatment of Necrosis." He seems to have published but little, but his writings were always clear and to the point, and his article on typhus (our typhoid) fever can be read to great advantage at the present time.

Dr. Nathan Smith had four sons—David Solon Chase Hall, Nathan Ryno, James Morven and John Derby—all of whom studied Medicine. Nathan Ryno Smith, with whom we are particularly interested, was born in 1797 and spent most of his professional life in Baltimore. He was at first Professor of Surgery at the University of Vermont; later, for two years, Professor of Anatomy at Jefferson Medical College, and then Professor of Surgery at the University of Maryland, with the exception of three years, 1837-1840, when he was Professor of Surgery at Transylvania University. He was pre-eminently a surgeon—noted for his skill, and kindness of heart. He engaged, however, in the general practice of Medicine and was also an oculist. His inaugural thesis at the time of his graduation in Medicine shows much of the modern spirit of medical investigation. He was especially noted in Baltimore for his subcutaneous section of the tendo Achillis, and also for his invention of a lithotome, which he used in two hundred and fifty operations for stone in the bladder; and for his anterior splint. He died in 1877, at the age of eighty years.

Dr. Alan P. Smith, the son of Nathan R. Smith and grandson

of Nathan Smith, was born in 1840 and died in 1898. Although an excellent surgeon, he was also a physician and had a large general practice. He filled for a short time the chair of operative surgery at the University of Maryland. He was one of the incorporators of the Johns Hopkins University and a trustee of the University and Hospital. He was offered the position of surgeon-in-chief of the Johns Hopkins Hospital, but declined it. He was gentle, kind-hearted, sympathetic, and thoroughly interested in all that concerned the improvement of medical education. After a long illness he died at the comparatively early age of fifty-eight years.

A memoir of Nathan R. Smith and of Alan P. Smith should be prepared and published, to do them deserved honor.

ACUTE ABDOMINAL PAIN.*

By Robert Parke Bay, M.D.

In selecting this subject I did not do so with the idea of telling you all about it, for it is something which, if you will agree with me, we all need to keep before us constantly—and then only to find out how little we really know about what is going on within the abdominal cavity. I shall endeavor to emphasize a few practical points which I have observed from my own cases.

As you know, there are about thirty different conditions that may give rise to acute abdominal pain. Someone will no doubt say that, if we will believe what he says, there is no such thing as old-time bellyache; and if I can get you all to believe that when it does exist is in the minority, and should never be diagnosed until the other more dangerous conditions have been eliminated, I will consider it well worth my time. How many of you have seen cases that at first looked typical of acute indigestion—which, however, is only a symptom and not a disease—go on into a general peritonitis, and, if your patient got well was laid up for months probably because you did not go back the next morning, and if you did you never noticed his abdomen, and because his pain was better considered him improved, having ordered a large dose of castor oil or salts on your first visit?

Some of the conditions that cause acute abdominal pain are: First, appendicitis; second, gall bladder diseases; third, perforating ulcer of the stomach or duodenum; fourth, intestinal obstruction; fifth, kidney stones or diseases; sixth, salpingitis; seventh, twisted ovarian cyst; eighth, ectopic pregnancy; ninth, fibroids of the uterus; tenth, adhesions; eleventh, pneumonia.

Of these conditions diseases of the appendix have first place and, according to Dr. Douglas Vander Hoof, thirty-eight per cent.

*Read before the Kent County Medical Society, Love Point, Md.

of all cases of indigestion are the result of inflammation of the appendix or gall bladder. The first attack of appendicitis, or the first acute pain in the abdomen, the result of appendicitis, starts in the upper abdomen, described by the patient as the pit of the stomach. This is followed by a general abdominal pain, and it is not until from twelve to twenty-four hours that the appendix becomes stuck in the right iliac fossa—and we have localized pain, tenderness, and rigidity over McBurney's point. It will be noticed that this is a movable pain. The first symptoms might very well be symptoms of any of the above conditions, so you can readily see how important the first twelve to twenty-four hours are to your patient; and it is here that history plays such an important part.

I do not feel that nausea, vomiting, diarrhoea, constipation or temperature are of especial importance in arriving at an early diagnosis. The onset, location, duration, character, and history of the pain, along with the pulse and abdominal examination, are far more important. Fever is the most misleading of all the symptoms, as it may be normal or sub-normal in the most serious conditions, especially at the onset.

During the past few months I have had some striking examples of a serious condition being overlooked because the acute abdominal pain was not typical of any one disease. The following examples will illustrate this:

First—Left-sided ectopic pregnancy diagnosed first as acute indigestion and later appendicitis thirty-six hours before operation.

Second—Perforated gastric ulcer of seventy-two hours' duration, not diagnosed because the pain was in the epigastric region and not accompanied by fever or local symptoms until twenty-four hours had elapsed.

Third—Large infected kidney diagnosed appendicitis for the first forty-eight hours before the local symptoms became more pronounced. In this case we had high fever and abdominal distention, with sudden onset of pain.

Fourth—Acute lobar pneumonia referred with diagnosis of acute appendicitis, with pain, fever, muscular rigidity, increased respiration, with physical signs not present for twenty-four hours.

Fifth—Ptnomine poisoning treated for thirty-six hours in several cases and they all entered the hospital with a ruptured appendix and peritonitis.

Sixth—Typhoid fever with enlarged gland frequently starts with acute abdominal pain. On three occasions have I opened the abdomen and removed a mildly inflamed appendix, and the case contained a typical typhoid—and this after all the scientific laboratory findings had confirmed our diagnosis of acute appendicitis.

Seventh—Typhoid perforation diagnosed acute appendicitis. The patient walked into the hospital; was operated upon immedi-

ately; perforation found, and patient made good recovery. The operation took place four hours after the onset of pain.

Eighth—Twisted ovarian cysts. These are very frequent in young women, and in the majority of cases are diagnosed appendicitis from the acute onset and location of pain.

Ninth—Dermoid cysts of the ovary become infected and give rise to acute pain. The pain is frequently referred to the crest of the ilium and down the thigh. One case opened through the sciatic foramen and formed an abscess on the posterior surface of the thigh; diagnosed sciatica.

Tenth—Intestinal obstruction frequently overlooked until it is too late, as the symptoms are not so severe at the onset and seldom accompanied by fever, but always by an irregular distention of the abdomen.

Eleventh—Gastric ulcer overlooked for some months, and patient frequently operated on for gall stones which were not found, only to continue having attacks of pain until perforation took place.

Twelfth—Gall-stones with infected gall-bladder usually recognized, as the acute pain is at the seat of trouble.

In considering these conditions I am endeavoring to show how important it is to make a definite diagnosis in the short time at your disposal, as you know it is necessary to deal promptly with any one of the above conditions. It has been said that every pain has its distinct and pregnant significance if we will but carefully search for it. As Dr. Maurice Richardson has said: "Alone, pain indicates danger in general; in combination with other signs it indicates danger in particular, and guides our hands to its source."

While I believe in all the improved laboratory methods and scientific interpretations of pain, let us not discard the old, well-recognized symptoms—as the coated tongue, pulse-tone and color of the conjunctiva; conditions with which you are familiar, and which should be taught more at the present day.

In conclusion, let me repeat: consider acute abdominal pain as serious until you have proved it otherwise. Do not give cathartics in this condition until you are sure no inflammatory process exists. You may give small enemas, and quiet your peristalsis by ice or heat; give absolutely nothing by mouth, and elevate your patient's head. If you must do something, give Murphy's proctoclysis, and a small dose of morphia (one-twelfth of a grain) may localize your pain. I feel that far more good can be accomplished by lessening the peristalsis than harm by lessening the pain. Always there is danger in delay—and that which ye sow ye shall also reap.

THE TREATMENT OF FRACTURES OF THE LOWER END OF THE TIBIA AND FIBULA.

By *Walter D. Wise, M.D., F.I.C.S.*

Associate Professor of Surgery, University of Maryland and College of Physicians and Surgeons, Baltimore, Md.

DURING the eight years, 1908-1915, inclusive, Dr. Harrison and the speaker treated in our general work at the office and at Mercy Hospital 1950 fractured bones. Of these, 159 were of the leg and 51 were of the type usually designated Pott's fracture. The habit of describing practically all fractures about the ankle as Pott's fractures has of late years been more or less accepted, and has even found its way into the textbooks. We believe this to be a serious mistake, as it leads to errors of treatment and much misunderstanding.

Our series, more strictly divided, shows 10 fractures of the internal malleolus alone; 16 of the external malleolus alone and 25 cases of true Pott's. These percentages are not at great variance with those of any large series reported, as, for example, the statistics of the Hudson Street Hospital, New York city.

Fractures of the lower end of the fibula alone or of the internal malleolus alone are in most cases rather easily managed, but if either is complicated by a tearing of the opposite lateral ligament or the tibio-fibula ligaments it becomes much more grave, because of the danger of partial dislocation and spreading of the ankle.

The fracture complex described by Percival Pott consisted of a fracture of the fibula in the lower three inches, a rupture of the internal lateral ligament and outward displacement of the foot. The X-ray has shown us that in a large proportion of cases, instead of the internal lateral ligament rupturing, the internal malleolus is pulled off.

A most important part of the pathology, not described by Pott and not mentioned in some standard works, is rupture of the tibio-fibular ligaments, allowing separation of the lower ends of the tibia and fibula, and if not properly treated leading to serious widening of the ankle.


In a true Pott's fracture there is danger of dislocation forward, backward and outward—no danger of the inward variety. In cases where the fibula is broken at the level of the ankle joint and the rest of the pathology is that of a Pott's, there is danger of dislocation in any of the four directions. If there is uncorrected inward dislocation it is perhaps less likely to give spreading of the ankle than is the outward variety, but gives an ugly deformity and considerable disability. If the dislocation is outward and not corrected, it will increase as soon as weight is placed upon the foot and will result in a valgus deformity with flat foot. An uncorrected forward displacement prevents dorsal flexion and the pa-



(1) Showing a moderate amount of anterior displacement associated with an oblique fracture of the tibia and a fracture of the fibula.



Fig. 1. Showing a marked posterior displacement of the foot with a large fragment broken from the posterior margin of the articular surface of the tibia.



(3) Showing the fracture and displacement in picture No. 2 reduced.




(1) Showing the anterior-posterior view of the fracture in No. 2 after reduction.



(5) Shows slight inward displacement due to overcorrection.



(6) Showing the overcorrection of No. 5 corrected.



(7) Showing marked eversion and outward displacement. A line drawn through the middle of the tibia barely catching the inner side of the astragulus.

This patient had had his foot in a cast three weeks and had then been instructed to walk on it—the more the better. In a fracture of this kind weight bearing should be deferred for ten to twelve weeks from the date of injury.

tient can walk only by evertting the foot. Posterior displacement also prevents dorsal flexion, because of the tight tendo Achilles.

The object of this paper is to describe in detail a practical unopen method of treating these conditions which is successful in all but a very small percentage of cases. We consider successful those cases which have a good functional result and a minimum of deformity.

When a fracture of the lower end of the leg is first seen, as careful an examination as is possible without giving the patient too much pain is made, and we endeavor to arrive at a definite clinical diagnosis. The fracture is then reduced as accurately as is possible without an anesthetic and with the clinical diagnosis as a guide. A trough splint of firm boards, six or seven inches wide, extending from well above the knee to well below the foot, is then applied. This is thickly padded with common cotton, extra padding being placed above the malleoli, below the knee and wherever else needed to protect eminences and hold the foot in the desired position.

The leg is allowed to remain in this splint five to seven days, during which time antero-posterior and lateral radiographs are made and used as a guide in the reduction (if a further one is necessary) and permanent dressing. At this time the patient is usually anesthetized, and with the X-ray pictures at hand, a careful adjustment is attempted, the procedure varying with the condition one is trying to correct. In a typical Pott's fracture we use inversion and strong adduction, being careful to make inversion of the tarsus, the foot as a whole to be at right angles with the leg. In fracture of the fibula alone the position of the foot should vary with the deformity. If there is little displacement of the fragments, we use slight inversion. If the deformity is a denting in toward the tibia, strong inversion may be needed, and so on. These rules are well known.

The important points to remember are:

1st. Watch lateral displacement inward or outward of the astragalus on the tibia.

2d. Watch anterior or posterior displacement of the astragalus on the tibia.

3d. Keep the tibia and fibula closely approximated.

4th. Keep the foot at right angles to the leg.

To do these things successfully, it is necessary to know the anatomy of the parts in detail, to be familiar with the use of some moldable splint, preferably plaster of Paris, and to have trained assistants.

If there is anterior displacement, it is corrected by strong traction and direct pressure backward.

If there is posterior displacement, it is corrected by strong plantar flexion, followed by a forward pull and dorsal flexion to a right angle.

The reduction of either of the above displacements is made easier by flexion of the knee for the purpose of relaxing the tendo Achilles, and when this measure is not sufficient, it may be neces-

sary to do a subcutaneous tenotomy, as we have had to do in several cases unreduced for a considerable length of time.

The lateral displacement, usually outward, is corrected by adduction of the tarsus, not the metatarsus or phalanges only.

The adjustment is checked up by the appearance of the foot; comparing it with the other, allowing, of course, for swelling, and by careful palpation, which is very important; by freedom of flexion and extension, and later by the X-ray.

After reduction has been obtained, it must be maintained while the cast is being applied, and this is where it is essential to have a trained assistant or at least one who has an understanding of what he is wanted to do.

That reduction and retention can be accomplished in this manner we believe is possible in all but a small percentage of cases. If we can get reduction, we can in nearly all instances maintain it by the judicious use of plaster. The cases requiring nailing have been rare, and those few have been patients referred for bad results of several months or years standing.

The advantages of the unopen method are that there is not the danger, however slight it may be, of infection, and there is not the foreign body to interfere with osteo genesis, as it does in a certain proportion of cases and frequently requiring removal. In the typical Pott's fracture, where the tibio-fibular ligaments are torn, weight bearing should not be allowed for eight to ten weeks, for fear of causing spreading of the ankle joint.

1800 N. Charles Street.

Book Reviews.

THE NOSE, THROAT AND EAR; THEIR FUNCTIONS AND DISEASES.

A TREATISE UPON THE BREATH-ROAD, FOOD-ROAD AND ACCESSORY ORGANS. By Ben Clark Gile, M.D., Instructor in Otology in the University of Pennsylvania and Formerly Assistant in the Throat and Nose Dispensary of the University Hospital; Assistant in the Department of the Nose and Throat and Ear and Dispenser Chief at the Presbyterian Hospital; Consulting Laryngologist to the Taylor Hospital and Formerly Instructor in Otology in the Polyclinic Hospital and Post-Graduate School of Medicine, Philadelphia; Fellow of the American Laryngological, Rhinological and Otological Society. With 131 Illustrations, Eight of Which Are Printed in Colors. Philadelphia: P. Blakiston's Son and Company, 1915. Cloth, \$2.75 net.

Medicine in all its specialties has made such rapid advances during the past decade that it taxes the specialist to keep up with his specialty; then what is to be expected of the student who is supposed to be more or less of a specialist in every line when he graduates? Undoubtedly his time is so full that it is getting more and more difficult for him to grasp the details of the management

of disorders of the body. And this even despite the great increase in the number of hours which he is now compelled to devote to his studies before being awarded his license to practice. This state of affairs can only be remedied by intensive study of the specialties. The essentials in the diagnosis and treatment should be thoroughly instilled. If the groundwork is assimilated, then it is an easy matter for the student to use a text-book intelligently. Gile has just written a book of this character on diseases of the nose, throat and ear. Within a compass of some 450 pages he has, with brevity, clearness and thoroughness, set forth the essentials of his specialty. Going logically from one subject to another, he has in a connected manner shown the relationship existing between the various nasal and otological maladies. If the student and general practitioner can be educated to recognize the commoner of the nasal maladies, one may rest assured that they will have sufficient judgment to give good, sound advice to their clientele not only in these, but also the rarer remedies. At any rate, they will be sufficiently impressed to refer the case to the proper person for advice. Such a book as the one before us will go a long way to educating the student and general practitioner in good, sound thinking when it pertains to matters affecting the air passages. The author has given us an excellent presentation of the subject, and it gives us great pleasure to recommend the volume to our readers.

THE MEDICAL CLINICS OF CHICAGO. September, 1915. Volume 1, Number 2. Bi-Monthly. Philadelphia and London: W. B. Saunders Company. Baltimore: The Medical Standard Book Company. Paper, \$8 per year.

More and more the profession is coming to learn that more of practical value can be obtained from short, concise articles by representative men, especially when case reports, with the methods of arriving at the diagnosis, are incorporated than from lengthy discourses. With this idea, and based upon these thoughts, Saunders of Philadelphia, ever in the forefront of advancement in American medical literature, are now issuing a bi-monthly incorporating the work of the leaders of the Chicago profession. This number contains reports from the clinics of Isaac A. Abt, William Allen Pusey, Frederick Tice, Walter W. Hamburger, Robert B. Preble, Maurice L. Goodkin, Ralph C. Hamill, Charles Spencer Williamson and Charles Louis Mix, a coterie of men with at least national reputation. Murphy's Clinics have proven so acceptable to the surgical branch of the profession that surely the Medical Clinics should prove an equal boon to the medical. In the present number the publishers have incorporated articles on heart disease in pregnancy, indications for induction of therapeutic abortion and premature labor, cardiac neurosis, psychic effect of heart disease on patient, atricular fibrillation, a case of mitral stenosis and mitral insufficiency in a young girl without subjective symptoms, splenic enlargement, a case of uncomplicated duodenal ulcer (the differ-

ential diagnosis and management), carcinoma of the stomach, tuberculous meningitis, etc. Surely these reports should prove intensely valuable to the internist.

THE STARVATION TREATMENT OF DIABETES. With a Series of Graduated Diets as used at the Massachusetts General Hospital. By Lewis Webb Hill, M.D., and Rena S. Eckman, Dietitian. With an Introduction by Richard C. Cabot, M.D. Price \$1. W. M. Leonard, Publisher.

This book furnishes to the general practitioner in compact form the details of the latest and most successful treatment of diabetes mellitus. It presents the clinical application of the work done in recent years by Dr. Allen at Harvard and the Rockefeller Institute.

This method of treatment, carried out by Dr. Allen at the Rockefeller Hospital, and by the Staff at the Massachusetts General Hospital, has proved very successful. As Dr. Cabot states in the introduction: "It seems already clearly proven that Dr. Allen has notably advanced our ability to combat the disease. * * * To all who wish to give their patients the benefit of this treatment I can heartily recommend this book." In a recent address Dr. Allen said: "However specialists may feel, there is no doubt that a majority of average practitioners feel bewildered and helpless concerning diabetes."

To all who have been tried by this baffling disease, this little volume, with its description of treatment, tests and diets, will be of greatest service.

THE LIMITATION OF OFFSPRING. By William J. Robinson, M.D., Chief of the Department of Genito-Urinary Diseases and Dermatology, Bronx Hospital and Dispensary; Fellow of the American Medical Association and of the New York Academy of Medicine; Member of the American Urological Association, American Medical Editors' Association, etc.; Editor of The Critic and Guide and of The American Journal of Urology, Venereal and Sexual Diseases; Author of Never Told Tales, Sexual Problems of Today, Practical Eugenics, Sexual Impotence and Other Sexual Disorders in Men and Women, etc. With an introduction by A. Jacobi, M.D., LL.D., Ex-President of the American Medical Association. 1915. New York: Critic and Guide Company. \$1 net.

This book incorporates the arguments which Doctor Robinson has been preaching for a number of years concerning the volitional control of pregnancy. He is firmly convinced that there should be better and fewer offspring. He says that there is no more harrowing sight in the home of the very poor, moderately wealthy or wealthy than an undesired pregnancy, which, in the case of the two former classes, often spells financial ruin, and even suicide. He, therefore, has written this book to instruct the laity as to the proper means of preventing conception. His doctrine is this: Under any conditions, and particularly under our present economic conditions,

human beings should be able to control the number of their offspring. They should be able to decide how many children they want to have, and when they want to have them. To accomplish this result he demands that the knowledge of controlling the number of offspring, the knowledge of preventing conception, should not be considered criminal knowledge; that its dissemination should not be considered a criminal offence punishable by hard labor in Federal prisons, but that it should be considered knowledge useful and necessary to the welfare of the race and of the individual, and that its dissemination should be as permissible and as respectable as is the dissemination of any hygienic, sanitary or eugenic knowledge. It is, then, with this aspect of sociological medicine that Doctor Robinson's book deals. Both the pros and the cons are unbiasedly considered. Whatever the personal opinion of our readers, they must admit that it is time, and high time, to find a way to limit the offspring of the epileptic, the confirmed drunkard, the mentally unbalanced, the diseased. Doctor Robinson merely goes a step further—he looks upon poverty as a disease, and as such should be subject to control in the matter of procreation. Whether for or against his theories, the laity and the profession should read the book, which is based upon actual observations made by Doctor Robinson in his daily rounds.

THE CLINICS OF JOHN B. MURPHY, M.D., AT MERCY HOSPITAL, CHICAGO, OCTOBER, 1915. Philadelphia and London: W. B. Saunders Company. Baltimore: The Medical Standard Book Co. A Bi-monthly. Paper, \$8 net.

These clinics have become so thoroughly essential to the surgical side of the profession that it is needless to emphasize any longer its merits. As in every one of the preceding issues, so in this, there are a number of articles of genuine interest to the surgeon. This number covers a wide field of general surgery, such as intra-abdominal, bone, joint and thoracic work. It is a mirage of the daily work being done by Dr. Murphy at Mercy Clinic, and is, therefore, practical. If you have not already subscribed to The Clinics, you should.

EMERGENCY SURGERY. By John W. Shuss, A.M., M.D., Associate Professor of Surgery, Indiana University School of Medicine; ex-Superintendent Indianapolis City Hospital; Surgeon to the City Hospital. Third edition, revised and enlarged with 685 illustrations, some of which are printed in colors. Philadelphia: P. Blakiston's Son & Co. Leather, \$4 net. 1915.

Shuss is undoubtedly correct when he states the general practitioner of today must be prepared to meet imperative surgery when it arises. With the time now demanded of medical students there is no earthly reason why they should not be reasonably pre-

pared to operate on urgent cases as they arise. He is also right when he says more and more surgery should be done in the home. Certainly this statement applies with great force to those settlements at a distance from large centers of population. What hope is there for a gunshot wound of the abdomen in a patient many hours from a hospital if the local physician is not prepared to operate. So with a number of urgent surgical conditions the local physician should be prepared to operate in case of emergency. If not, his medical education has been sadly imperfect. As a guide to this class in hours of stress, Sluss' *Emergency Surgery* will be found of incalculable value. It covers, and covers well, most of the surgical conditions which demand immediate attention. The only criticism which we feel constrained to make is that many would-be surgeons in reading its pages will be deluded into believing that intricate surgical therapeutics is easy, and thus attempt to do something for which they are entirely unprepared, as the book is so well written that it leaves the impression all surgery is easy. However, for those who are reasonably prepared, it is an admirable guide.

THE PRINCIPLES AND PRACTICE OF OBSTETRICS. By Joseph B. De Lee, A.M., M.D., Professor of Obstetrics at the Northwestern University Medical School; Obstetrician to the Chicago Lying-in Hospital and Dispensary, and to Wesley and Mercy Hospitals; Consulting Obstetrician to Cook County and Provident Hospitals, etc. 938 Illustrations. 175 in Colors. Second Edition, Thoroughly Revised. Philadelphia and London: W. B. Saunders Company. Baltimore: The Medical Standard Book Co. 1915. Cloth, \$8 net.

De Lee's obstetrics represents the last word in book-making. Without doubt, taken all in all, it is the best obstetrics on the market. Magnificently illustrated, well printed, and of easy diction, the reader can ask no more. Without anything else, the illustrations would make the book, but when this feature is added to the beautiful diction, one naturally becomes enchanted with the book. No words can describe its virtues. It is so absolutely complete and is one of the best exponents of the bookmakers' art that it has been our pleasure to see in many a day. Anybody desirous of purchasing a complete reference book will find it here. And as in so many books, one will not hear the complaint that the purchaser is disappointed. If he is, nothing can satisfy him. Here from alpha to omega the entire art and science of midwifery, from the beginning of conception to the management of the puerperium, is faithfully reproduced. The anatomy, the physiology, the diagnosis, the management of pregnancy are one and all plainly expounded. Both the theoretical and practical sides of obstetrics are thoroughly treated. We could not criticise if we would, as there is not a vulnerable point. It has our utmost praise. Nothing is then left for us but to give it our heartiest endorsement and recommendation, as we know it will please.

MARYLAND MEDICAL JOURNAL

NATHAN WINSLOW, M.D., *Editor*

Associate Editors

THOMAS R. BROWN, M.D.

HUGH H. YOUNG, M.D.

RICHARD H. JOHNSTON, M.D.

JOSE L. BIRSH, M.D.

A. SAMUELS, M.D.

BALTIMORE, MARCH, 1916

THE STARVATION TREATMENT OF DIABETES.

OF the important contributions to recent medical progress, none is more interesting to the internist or holds out more promise of relief to suffering humanity than the starvation treatment of diabetes as inaugurated and practiced by Dr. Frederick M. Allen of the Rockefeller Institute Hospital. If the results of this treatment as furnished by Lewis Webb Hill, together with a series of graduated diets as used in the Massachusetts General Hospital are as successful in the hands of others, a distinct advance has been made in the therapeutics of diabetes mellitus. The plan of treatment is simplicity itself. As it has been employed with so much success at the Massachusetts General Hospital, it cannot help but be of more than passing interest to our readers. To insure success, the physician must think in grams of carbohydrate and proteid. It is not enough to cut down the supply of starchy foods, he must know exactly how much carbohydrate and proteid food the patient is receiving each day. As practiced at the Massachusetts General Hospital, the details are as follows:

For 48 hours after admission the patient is kept on ordinary diet, in order to determine the severity of his diabetes. Then he is put to bed, and no food allowed, except whiskey and black coffee. The water intake need not be restricted. The whiskey is given in the coffee, one ounce of whiskey every two hours from 7 A. M. to 7 P. M. This diet furnishes roughly about 800 calories. Sodium bicarbonate, two drachms every three hours, may be given if there is evidence of acidosis, as indicated by a strong acetone or diacetic acid reaction in the urine. In most cases this

has been found unnecessary. Those who have practiced this severe reduction in diet have noticed no evidence of impending coma. Heretofore a severe reduction in diet in diabetics was looked upon askance and was dreaded as the possible precursor of coma. Therefore this observation, that diabetes will tolerate starvation without ill-effects is most important. The patient is kept in bed and on the above diet until he is sugar free, the sugar usually disappearing from the urine in two to three days; seldom does it take longer. Dr. Hill states the patients withstand starvation remarkably well, and in no case has he seen bad results from it. As soon as the patient is sugar free he is allowed to get up and is placed upon a diet of vegetables containing 5 per cent. carbohydrate. A moderate amount of fat in the way of butter can be given with this diet if desired. The first day after starvation the carbohydrate intake should not be over 18 grams. Then, according to the behavior of the patient, the proteid, fat and carbohydrate diet is gradually raised, always bearing in mind that an excess of proteid is an important factor in causing glycosuria. If sugar appears in the urine during the raising process, drop back to a simpler diet. If this proves unavailing, repeat the starvation process and raise the diet more slowly. The author definitely states if the diet is raised very slowly, sugar will not reappear. If the patient is taking a fair diet and is doing well without any glycosuria, it is not desirable to raise the diet any higher than proteid 50, carbohydrate 50 and fat 200 grams. The essential points brought out by Allen are:

It is not dangerous to starve a diabetic, and two or three days of starvation almost always make a patient sugar free.

After starvation the diet must be raised very slowly.

An excess of proteid must be regarded as capable of producing glycosuria.

It is not desirable for all diabetics to hold their weight.

Although this treatment has only been in existence slightly over two years, it apparently has yielded those who have tried it far superior results than the old methods of treating diabetes mellitus. It is yet too early to forecast the permanent effect of such a diet, but it does appear that a substantial advance in the treatment of diabetes has been made, and we give it to our readers for a trial.

Medical Items.

Former members of the staff of Johns Hopkins Hospital have been decorated by Germany for their services in the Medical Corps of the German Army. Dr. Karl H. Van Noorden, Jr., who was attached to the medical staff at Johns Hopkins, was decorated with the iron cross of the second class after the battle of Lodz, in which he was shot through the hip; and Dr. Felix Landor, who was also on the surgical staff, now surgeon-in-chief and organizer of a field hospital at Leedeghen, Belgium. He was decorated with the Order of Frederick and with the iron cross of the second class, bestowed by the King of Wurttemberg.

Dr. JOSHUA L. FRANCE of Port Deposit and Baltimore has announced his candidacy for the nomination for United States Senator.

Dr. WILLIAM H. BASH, in charge of the accident ward of Mercy Hospital, Baltimore, has resigned, to take effect in May. He will practice in West Virginia. Dr. H. Hayward Johnson, an interne, has been appointed to succeed Dr. Bash.

Dr. ROY D. McCUTCHEON of the resident staff of Johns Hopkins Hospital has accepted the position of surgeon-in-chief of the Henry Ford Hospital, Detroit.

SYRINGOMYX has again broken out in Hagerstown, six cases having been reported, four of which patients have practically recovered. Dr. C. W. G. Rohrer, assistant chief of the Bureau of Communicable Diseases of the State Board of Health, has been to Hagerstown and investigated every reported case. It is thought the disease was brought to Hagerstown from Roanoke, Va.

The articles of merger between the College of Physicians and Surgeons and the University of Maryland were ratified by the regents of the University January 5, and by this act the combination between these schools becomes a legal fact. The members of the faculty of the College of Physicians and Surgeons who were taken into the board of regents of the university are as follows: Drs. John W. Chambers, Harry Friedenwald, Archibald C. Harrison, Standish McCleary, William F. Lockwood, William S. Gardner, Cary B. Gamble, Jr., and George W. H. Blair.

A bill, providing for an appropriation of \$10,000 for the erection of a hospital in Charles county, to be known as the Southern Maryland Emergency Hospital, has been introduced in the General Assembly. The bill provides for an additional appropriation of \$3000 a year for maintenance, and provides also that the \$10,000 appropriation is not to become available until the directors of the institution certify that an additional \$5000 has become available, either through private donations or by levy made by the county commissioners, or both.

DR. THOMAS M. STEWART announces his association with Drs. John W. Murphy and Martin H. Urner and his removal to their offices and private hospital, suite 2711 Union Central Building, Fourth and Vine streets, Cincinnati, Ohio.

DR. HUGH H. YOUNG, who has been convalescing at Johns Hopkins Hospital for some days from illness, spent a few days at Atlantic City after leaving the hospital. He was accompanied by Mrs. Young.

THE Ladies' Board of the West End Maternity Hospital held a linen shower and reception at the hospital, 112 North Calhoun street, on February 22, for the benefit of the free wards.

THE Ladies' Auxiliary of the Board of St. Agnes' Hospital gave a benefit theater performance and dance on February 21 at the Academy of Music.

DR. WILLIAM H. WELCH has been elected president of the University Club of Baltimore, Md.

ENGAGEMENT

The engagement is announced of Dr. Clifford Clinton Hartman, Johns Hopkins Medical School, '11, of Pittsburgh, Pa., to Miss Carlotta Barnes Bailey of Churchville, Md. Dr. Hartman is a member of the medical staff of the Allegheny General Hospital, Pittsburgh, Pa.

MARRIAGES

DAWSON L. FARBER, M.D., Baltimore Medical College, '13, to Miss Jean Cowan Ennis, both of Baltimore, Md., at Rockville, Md., September 9, 1915. They will reside in Magnolia, O., where Dr. Farber will practice.

RUSSELL H. DEAN, M.D., University of Maryland Medical School, '12, to Miss Esther F.

IN PLACE OF OTHER ALKALIES USE

Phillips' Milk of Magnesia

"THE PERFECT ANTACID"

For Correcting Hyperacid Conditions—Local or Systemic. Vehicle for Salicylates, Iodides, Balsams, Etc.

Of Advantage in Neutralizing the Acid of Cows' Milk for Infant and Invalid Feeding

Phillips' Phospho-Muriate of Quinine COMPOUND

NON-ALCOHOLIC TONIC AND RECONSTRUCTIVE

With Marked Beneficial Action Upon the Nervous System. To be Relied Upon Where a Deficiency of the Phosphates is Evident

NEW YORK

THE CHAS. H. PHILLIPS CHEMICAL CO.

LONDON

Are you prepared

for that emergency call late to-night—mayhap 'way out in the country, or if in town, after drug-store hours?

In either event—and in most "hurry" medical cases—there is nothing quite so immediately useful as a good hypodermic syringe that "always works and never leaks" and some real hypodermic tablets—ours for instance.

\$2.60 worth of that kind of "preparedness"—that's the price of our Aseptic Hypodermic Outfit through your druggist—it equips you with a good syringe and six kinds of emergency tablets in a handsome aluminum case that will fit your pocket without bulging—a neat, compact, aseptic emergency outfit.

Are you prepared?

SHARP & DOHME

The hypodermic tablet people
since 1882

Purveyors to the medical profession since 1860

Shale, both of Jacksonville, Fla., at Jacksonville, December 10, 1915. They will reside at 105 Cedar street, Jacksonville.

ROBIN B. PAGE, M.D., Maryland Medical College, '05, of Baltimore, Md., to Miss Grace Ball of Easton, Md., at Dennison, Ohio., February 5, 1916. After a wedding trip spent in the West, Dr. and Mrs. Page will reside in Baltimore.

DEATHS.

THOMAS H. SHEARER, M.D., Homeopathic College of Pennsylvania, '58, of 905 N. Charles street, Baltimore, Md., died at his home from an impacted fracture of the neck of the thigh bone, February 18, 1916, aged 90 years.

JOCELYN WILLIAM BLACKMER, M.D., University of Maryland Medical School, '15, of Salisbury, N. C., died at his home in that town February 1, 1916, aged 28 years. Dr. Blackmer was formerly on the staff of the Springfield Hospital at Sykesville, Md.

JAMES McHENRY HOWARD, M.D., University of Maryland Medical School, '69, of Baltimore, Md., died at the Johns Hopkins Hospital, after a lingering illness, January 31, 1916, aged 77 years.

JOSEPH ALOYSIUS MUNN, M.D., University of Maryland Medical School, '64; a member of the Medical Society of the District of Columbia in 1865; assistant surgeon in the Confederate Army and author of a book recording his war observations and experiences with Porter in Northern Missouri; died at his home in Hyattsville, Md., January 21, 1916, from acute dilatation of the heart, aged 73 years.

ANDREW B. MITCHELL, M.D., University of Maryland Medical School, '66, died at the Home for Incurables, Washington, D. C., January 20, 1916, from myocarditis, aged 75 years.

CHARLES FARQUHAR, M.D., of Olney, Md., died at his home February 1, 1916, aged 75 years.

GEORGE DWIGHT KAHL, M.D., Bellevue Hospital Medical College, New York, '91; medical director of the new baths at the Greenbrier White Sulphur Springs, W. Va., and a former lecturer at the Johns Hopkins University, died at Old Point Comfort, Va., February 12, 1916, aged 50 years.

JAMES J. DURRETT, M.D., University of Maryland Medical School, '97; a member of the West Virginia State Medical Association, who had been ill as the result of a nervous breakdown, died at his home in Fairmont, W. Va., January 10, 1916, from the effects of a gunshot wound of the head, self-inflicted, it is believed, with suicidal intent, aged 43 years.

JOHN GILBERT SPANLER, M.D., College of Physicians and Surgeons, '87; a member of the Medical Society of the State of Pennsylvania; of Mapleton Depot, Pa., while going over the Pennsylvania system of Mapleton, January 7, 1916, was struck by a train and killed instantly, aged 55 years.

HENRY M. JEWETT, M.D., College of Physicians and Surgeons, '88, formerly attending surgeon to the Roger Williams' Eye, Ear and Throat Infirmary, Providence, R. I., and a practitioner of Providence, died at his home in Edgewood, Providence, January 10, 1916, aged 56 years.

NORVEL H. BAKER, M.D., Baltimore Medical College, '82, formerly a practitioner and druggist of Gillette, Wyo., died in Sheridan, Wyo., January 10, 1916, aged 59 years.

FREDERICK LAWFORD, M.D., University of Maryland Medical School, '60; a member of the Medical Society of Virginia; surgeon to the Norfolk and Southern Railway and Berkley Street Railway; proprietor of the Lawford Hotel and Hospital, Berkley, Norfolk, Va., died at his home in Norfolk, January 24, 1916, from pneumonia, aged 40 years.

WILLIAM G. BRADSHAW, M.D., College of Physicians and Surgeons, '81; postmaster of High Point, N. C.; a druggist, banker and furniture manufacturer; died at his home, January 19, 1916, from cerebral hemorrhage, aged 60 years.

CHARLES L. WACHTER, M.D., College of Physicians and Surgeons, '84, of Sabillasville, Md.; member of the Frederick County School Board until a month ago; director of the Thurmont Bank, died at Sabillasville, February 4, 1916, aged 60 years.

WILLIAM EDWARD MOSELEY, M.D., Harvard Medical School, '74, F. A. C. S., of 614 North Howard street, Baltimore, Md., died at his residence February 10, 1916, aged 67 years.

SYRUPUS HYPOPHOSPHITUM FELLOWS

One of the most efficient, most complete, and best all-round Tonics in the *Materia Medica*!

For four and a half decades its reputation has been constantly increasing!

Reject  Cheap and Inefficient Substitutes
Preparations "Just as Good"

ABSTRACTS.

ARE WE EXAGGERATING THE DANGERS OF HIGH PRESSURE?

(*Critic and Guide*, November, 1914.)

By Tom J. Williams, M.B., C.M., Edin.,

Washington, D. C.

Neurologist to Epiphany and Freedmen's Hospitals; Corres. Mem. Soc. de Neurol. et Psych., Paris, etc.

High arterial tension is not itself a great danger, but the agent which produces it is. The author attributes it to hyperproteosis, and the cause of this is the failure of the organism to deal with an excess of protein. Cases are reported showing the efficacy of treatment which limits the proteins and increases the metabolism by proper dietary means. Not all the cases show arterio-sclerosis, or high blood pressure. Vertigo paresthesia, lumbago, recurrent headache or a thick, dull feeling, with incapacity to concentrate, or wakefulness and irritability, or melancholy, may be the chief signs. Alcohol is of little importance in the etiology, except in cases where it produces hepatic or renal insufficiency. Any pressure above 120 is abnormal, even though usual in older people. Anxiety and strain are merely subsidiary factors.

REMARKS ON INTRATHECAL INJECTIONS AS A FACTOR IN THE IMPROVEMENT OF TABETICS AFTER SALVARSAN.

(*The Physician and Neurologist*, November, 1914.)

By Tom J. Williams, M.B., C.M., Edin.,

Washington, D. C.

Neurologist to Freedmen's and Epiphany Hospitals; Corres. Mem. Soc. de Neurol. et Psychiat., Paris, etc.

Born on clinical and laboratory grounds the adequacy of intravenous injections of salvarsan, followed by mercury intravenously, intramuscularly or even by inunction, is maintained. Of the author's 60 cases, two especially striking are reported.

A man tabetic for six years has been functionally well for two years, with a reduction of cell count from 38 to 9 after three courses of salvarsan and mercury, totalling six intravenous injections in all. A woman who had been treated for six years for rheumatism, at Clifton Springs and other places, showed great loss of weight and strength, marked ataxia, almost complete loss of pain, vibration and attitude sense of the lower limbs, as well as loss of the tendon and pupil reflexes. She was recommended salvarsan and mercury, against the opposition of several physicians. Seen only a few weeks ago, this patient, although she has had only four periods of treatment of two salvarsans and from four to six weeks of mercurial injections in each, she is perfectly well, of normal weight, save for the lost reflexes and a

ST. CHARLES

ATLANTIC CITY, N. J.

Most Select Location
Fronting the Beach

Between Steel Pier and New Garden Pier

Thoroughly modern and completely equipped. Courteous service. Bathrooms with hot and cold, fresh and sea water attachment. Orchestra. Extensive porches overlooking the Boardwalk. Always open. Golf privileges.


Illustrated Booklet

NEWLIN HAINES COMPANY

Western Maryland Dairy

BALTIMORE, MD.

BACTERIAL tests show that the milk received by us primarily contains a lower average percentage of bacteria than is usual. It is then subjected to pasteurization after the most scientific and modern methods, thus giving us a distinctive product. Our hygienic plant, **No. 1117 Linden Avenue**, is at all times open to the inspection of physicians and others who are interested.



IN CANCER, FEVERS
and INFECTIOUS
DISEASES
the BALANCE
may be obtained
by the USE of the
CELL PRODUCT
The BALANCE
of HEALTH
is DUE to CELL METABOLISM

PROTONUCLEIN
If INTERESTED

Send for Samples & Literature

REED & CARNICK

42-46 Germania Ave. Jersey City, N.J.

slight sensory loss in the tibial border of the feet, and can work with enjoyment again.

As no arsenic is demonstrable in the serum used for intrathecal injection, and arsenic is found in the serum after intravenous injection, and as no improvement has followed intrathecal injection unless intravenous injection is employed also, it should be obvious enough that the intravenous injection is the more important procedure. The clinical facts of Sachs and the author show this. The anatomical facts should leave one to infer it; for the disease process, although a meningitis, is deep in the membrane and is chiefly around the vessels, which are nourished not from the cerebro-spinal fluid, but from the blood. Any benefit attributable to intrathecal injections must be due to their topical effect in causing hyperaemia. These considerations show that the method is not specific, and in view of the numerous relapses its superiority is doubtful.

1705 N Street.

OBJECTIVE PSYCHOLOGY.

ADOLF MEYER, Baltimore (*Journal A. M. A.*, Sept. 4, 1915), remarks on the confusion and lack of agreement in the minds of medical students and teachers as regards the relations of psychology to physiology and pathology. The difficulty lies, he says, in the hesitance to accept a frankly biologic view of the reactions and behavior of man. As soon as mental attitudes and mental activities are accepted as definite functions of a living organism, mentation and behavior is treated as a real chapter of the natural history of man and animal and psychology ceases to be a puzzle, supposedly resisting the objective methods in science. The difficulty will be largely relieved. He specially endeavors to make plain, he says, what is meant by the fundamental assertion that what is important to us is as observable and objective as any other fact of natural history, that is, what is of importance to us is the activity and behavior of the total organism or individual as opposed to the activity of single organs. Each individual has his own mental activity, and to say we cannot see it and make it accessible and understand it in others is a philosopher's scare like the claim that we can never know whether the world exists because we know only mental states or processes. Common sense has never worried about the reality of the world, and the first step in a course of psychology for medical students is to restore in them the courage of common sense. The first condition, Meyer says, for productive work in this field of psychobiology, as in any other, is controlled procedure and methods of description and record and experimentation which come up to definite standards.

COLLICULECTOMY.

A. G. RYTINA, Baltimore (*Journal A. M. A.*, Jan. 2, 1915), describes his technic of the operation for the removal of the verumontanum, which can be performed, he claims, with less risk of subsequent complication than the use of the cautery and the application of strong silver nitrate commonly used. The descrip-

Mellin's Food is of much assistance in adjusting the diet to correct constipation of infants.

Details of the method of procedure to meet such conditions will be sent to physicians upon request.

Mellin's Food Company, Boston, Mass.

PRESCRIPtIONS A SPECIALTY	<p>Stuart's Pharmacy <u>Medical and Surgical Goods</u> 1120 W. Fayette St. BALTIMORE, MD.</p>	PHYSICIANS and NURSES SUPPLIED
---------------------------------	---	--------------------------------------

SAL HEPATICA

The Ideal
Saline
Eliminant
In
Rheumatic
Conditions

Bristol-Myers Co.
New York



tion of the technic requires the illustrations to make it perfectly clear. The operation is radical, he says, and, in allowing the removal of the almost intact verumontanum, enables us to make accurate pathologic studies with the result that a more rational interpretation of the symptomatology and therapy may be anticipated. Of course, the operation should only be carried out in specially selected cases. He describes the anatomy and histology of the parts and of the sinus pocularis, which his studies show is a long canal lined by a many-layered, squamous epithelium ending in the substance of the verumontanum by a complicated system of invaginated processes. The structure is clearly favorable for retention products, and suggests difficulty in eradicating infection, which is the sole cause, as far as seen by him, of pathologic conditions of the verumontanum. His conclusions are as follows: "1. Colliculectomy is a simple operation for removal of the verumontanum. It is less liable to untoward complications and sequelae than strong applications of silver nitrate or the thermo-cautery. 2. The study of the pathology of the verumontanum is made easy, in consequence of which a therapy will be devised that will be based on science, rather than on empiricism. 3. Surface applications of mild antiseptic solutions seem to be rational. Strong penetrative cauterant substances may have great therapeutic value in curing infections, but may do more harm than good, on account of the production of untoward complications or sequelae. 4. A straight-beaked colliculectome lends itself to removal of vegetation and polypi from any part of the anterior urethra." The article is illustrated.

DISEASES OF THE EPIDIDYMIS AND TESTICLE.*

By *Henry H. Morton, M.D.*,

Brooklyn, N. Y.

Clinical Professor of Genito-urinary Diseases, Long Island College Hospital; Genito-urinary Surgeon, Long Island College and Kings County Hospitals and the Polhemus Memorial Clinic, etc.

EPIDIDYMIS is more frequently seen than orchitis. Causes are gonorrhœa, traumatism, passage of urethral instruments, or as a sequel to prostatectomy. The organisms reach the epididymis through the vas deferens by means of its peristaltic action, which moves in either direction.

Causes of orchitis are syphilis, malignant disease or metastasis during an attack of mumps.

Gonorrhœal Epididymitis—Testicle red, swollen, tender, inflamed. The epididymis is enormously swollen, and surrounds the testicle. A small quantity of hydrocele fluid is usually found. Discharge from urethra usually ceases while epididymis is affected and begins again as the inflammation subsides.

Treatment. Preventive—I have patient wear suspensory and keep as quiet as possible. No urethral instruments should be passed and no forced injections given.

When present the patient should be put to bed, the scrotum supported with a handkerchief bandage, and continuous hot applica-

*Abstract of Clinical Lecture given in the Long Island College Hospital and reprinted from the *New York Medical Journal* for February 13, 1915.

SABALOL FOR NASAL CATARRH SPRAY.

AFFORDS PROMPT RELIEF IN ALL CATARRHAL
DISEASES REACHED BY LOCAL APPLICATION

Pharyngitis, Laryngitis, Hay Fever, Acute Coryza,
Rhinitis, Ozena and Inflamed Mucous Membrane in
All Parts of the Body

Laryngologists find SABALOL SPRAY invaluable in the treatment
of the throats of actors, singers and speakers

IF UNACQUAINTED, SEND FOR SAMPLE

T. C. MORGAN & CO., 102 John St., New York

YOUR SPECIAL ATTENTION

IS DIRECTED TO

Beef, Iron and Wine, with Hydropepsin,
Liquid Pi-cine Co., Red Syr. Hypophosphites Co.,
Compound Salol Capsules.

THOMAS & THOMPSON CO.

Manufacturers and Dispensers of Pure Medicines (Wholesale and Retail)
Cor. Baltimore and Light Sts., Baltimore, Md.

Wm. H. CARRIGAN, President

E. F. OHLMEYER, Secretary and Treasurer

THE BROWN OPTICAL CO.

Optometrists and Opticians

112 North Howard Street

BALTIMORE, MD.

WHEN you write advertisers, mention
the MARYLAND MEDICAL JOURNAL.

The purity and
quality of the salts
used insure grati-
fying freedom from
gastric disturbance
or "bromism"—even
on prolonged ad-
ministration.

PEACOCK'S BROMIDES

Used with con-
spicuous success in
Epilepsy, Uterine
Congestion, Head-
ache, the Reflex
Neuroses and when-
ever a reliable anti-
spasmodic or seda-
tive is required.

CHIONIA

Affords hepatic stimulation without
purgation---a true cholagogue.

PEACOCK CHEMICAL CO.

St. Louis, Mo.

tions applied. Hot flaxseed poultices or hot lead and opium work very well.

Cold is no longer used, as it is liable to leave a hard, tough infiltration of the epididymis, thereby causing sterility.

In moderately severe cases, accompanied with great pain, 20 per cent. guaiacol ointment covered with cotton and heat usually allays the suffering.

In recurring epididymitis or in very severe cases which do not respond to treatment, the Hagner operation is indicated.

Where there is a great deal of hydrocele fluid present, aspiration of the fluid makes the patient comfortable.

Where the epididymis has been blocked as the result of inflammation and the patient sterile, the patent end of the epididymis may be transplanted into the testicle and a new channel for the exit of the spermatoza is made. In about 50 per cent. of cases operated the sterility is relieved.

Tuberculosis of the Epididymis—Begins as a small, painless lump, which gradually increases in size.

The epididymis is usually infected:

1. By hematogenous infection.
2. By extension from higher up; vesicles, prostate, kidneys.

Later the testicle becomes infected, and breaks down and becomes filled with pus.

The focus may remain latent for a long time and then be lighted up by some traumatism.

Treatment—Epididymectomy is the operation of choice when the testicle is not involved, but when the testicle is affected castration is indicated.

After the patient recovers from his operation he should be instructed to lead an out-of-door life, as ordered in the case of any other tuberculous individual.

ABSTRACT OF CLINICAL LECTURE ON STRICTURE OF THE URETHRA GIVEN IN THE LONG ISLAND COLLEGE HOSPITAL AND REPORTED IN THE MEDICAL TIMES.

By *Henry H. Morton, M.D., F.A.C.S.*,


Brooklyn, N. Y.

Clinical Professor of Genito-urinary Diseases, Long Island College Hospital; Genito-urinary Surgeon, Long Island College and King's County Hospitals, and the Polhemus Memorial Clinic, etc.

Case I—Male, 45; sailor. Gonorrhea many years ago. External urethrotomy for stricture 10 years ago. No sounds passed after operation. Second external urethrotomy eight years ago. Passed bougie on himself for six months. Admitted to hospital for acute retention with bladder distended to umbilicus. Whalebone guide could not be introduced, so suprapubic puncture was done, and subsequently external urethrotomy without a guide.

Case II—Boy, 16; U. S. Seven years ago ruptured urethra by jumping into milk can. Eight operations have been performed, last one two years ago. Sounds passed every week for one year.

On admittance it was found that a filiform guide was all that



Phone. - Mt. Vernon 3195

24-HOUR SERVICE

Be One of Our Customers

We are offering to all our customers
FREE SERVICE anywhere within 20
miles of Baltimore.

Sprecher Motor Company

1411 N. Charles Street

DEALERS IN

USED FORD CARS

HIGH GRADE LINE ACCESSORIES,
TIRES, ETC.

Motor Repairing Our Specialty
High Grade Work Best Service
Lowest Prices

We are in a position to take care of
your Auto Accessory wants at the
right price and with the right service.

*GIVE US A CHANCE
To Prove Our Claims*

The Hub Auto Supply Co.

709 N. Howard Street

Telephone, Mt. Vernon 4547-M

Phones (Mt. Vernon 3348-M
Mt. Vernon 2107

WM. H. HUSTER
H. W. WINDER

"Always at Your Service"

HUSTER & WINDER

Garage and Service Station

Automobile Repairing, Autogenous Welding, Machinists' Accessories and Tire Repairs, Electric Starting, Lighting and Ignition Systems, Storage Batteries Charged and Repaired.

1801 Lovegrove Alley
Bet. Charles and St. Paul Sts. BALTIMORE, MD.

would pass through stricture. Tunnelled sounds could not be passed because of density of stricture. Operation would probably leave a permanent perineal fistula. Treatment by continuous dilatation was decided upon.

The filiform guide was left in place for 48 hours, then a small flexible bougie could be passed. This was left in place for 48 hours, and then a larger size passed and left in the canal. Now the patient wears a 26 flexible bougie. Sounds will be passed from this time till stricture is well dilated.

The urine is voided around the bougie in the urethra.

Remarks on subject of retention of urine:

In retention of urine, bladder is filled, but patient is not able to empty it.

In suppression of urine, no urine is secreted by kidneys.

In rupture of bladder a catheter is introduced into bladder, and little or no urine obtained. A measured quantity of fluid is introduced into bladder, but full amount does not return, as it has leaked out into peritoneal cavity.

Causes of retention of urine are:

1. Stricture, which may be spasmotic or organic.
2. Enlargement of prostate due to senile hypertrophy or gonorrhreal inflammation.
3. Foreign body impacted into urethra, such as a calculus, or something introduced for purposes of masturbation.
4. Paralysis of bladder, in acute fevers or due to nervous disorders.

Examination reveals a round, smooth, fluctuating suprapubic tumor, due to percussion. Rectal examination should be made to determine condition of prostate and urethra explored with a steel sound.

Treatment—A spasmotic stricture and oftentimes an organic stricture will respond to a full dose of morphia and a hot sitz bath prolonged for half an hour, but the main dependence in cases of retention is the catheter. In many cases where a catheter cannot be passed a filiform whalebone guide will enter the bladder and a Gouley's tunneled catheter used. Adrenalin solution, because of its property of shrinking the mucous membrane, is sometimes of value, and then the urethra should be distended by filling with olive oil.

After bladder is emptied guide is left in place and stricture is treated either by operation or continuous dilatation.

In cases where a guide will not pass stricture suprapubic puncture or the operation of external urethrotomy must be resorted to.

In cases of retention due to gonorrhreal prostatitis urethra should be well irrigated before catheter is passed, so as to lessen chances of infecting bladder. In senile hypertrophy of prostate a catheter should be inserted at once. The bladder should not be emptied entirely in these cases, as it may cause urosepsis and suppression of urine.

Foreign bodies may sometimes be removed with a long urethral forceps through endoscope, but usually a perineal or suprapubic operation is called for.

Hours, 9.30 to 3.30

DR. HEDLEY V. CARTER
Osteopathist

St. Paul 8136

326 N. Charles St.

Brown Arcade Building

16 W. Saratoga St.

MEMBER STATE BOARD OSTEOPATHIC EXAMINERS



Our Surgical Department

Is in charge of a Trained Nurse and Practical Corset Fitter. Our experience has shown us the need of an expert along these lines. We co-operate with the physician.

LaGrecque Corset

SHEARER & MOSSOM

103 W. Saratoga Street

Phone, St. Paul 5174

Near Rennert Hotel



¶ An Index to Advertisers will be found on page ii.

¶ In writing to advertisers please refer to the JOURNAL.

Pure Italian Olive Oil

Wines and Liquors for Medicinal Use

The G. SCHIAFFINO CO.

220 N. Eutaw St. 702 S. Broadway
603 Forrest St.

Howard and Company

825 N. HOWARD STREET
BALTIMORE, MD.

MAKERS OF THE
KATHERINE CORSET

Surgical Bandages and Corsets by Prescription

D. HARRY CHAMBERS

Prescription Optician

312-314 N. Howard St. BALTIMORE, MD.

St. Paul 7918

Hours: 9 A. M. to 6 P. M.

DR. LORRAINE WILSON

Chiropodist and Electrolysis

Office: 906 Fidelity Bldg.
Expert Manicuring Cor. Charles and Lexington Sts.

LOCAL DIRECTORY

THIS Directory is maintained mainly for the benefit of local firms seeking the patronage of physicians and their families. Only well established and reliable concerns will be represented, and doubtless the space at our disposal will be constantly in demand. In responding to these exploitations, the reader will find it mutually advantageous to mention the MARYLAND MEDICAL JOURNAL.

THE MEDICAL JOURNAL CO.

Publishers' Department.**Danger Due to Substitution.**

HARDLY another of all the preparations in existence offers a wider scope to imposition under the plea of "just as good" than the scientifically standardized Eucalyptol.

The most recent fraud practiced in regard to this product is an attempt to profit by the renown of the firm of Sander & Sons. In order to foist upon the unwary a crude oil, that had proved injurious upon application, the firm name of Sander & Sons is illicitly appropriated, the make-up of their goods imitated, and finally the medical reports commenting on the merits of their excellent preparation are made use of to give the desired luster to the intended deceit.

This fraud, which was exposed at an action tried before the Supreme Court of Victoria at Melbourne, and others reported before in the medical literature, show that every physician should see that his patient gets exactly what he prescribed. No "just as good" allowed.

K-Y.

Ask any doctor point blank the antidote for opium, or arsenic, or strychnine, and his answer would be prompt and practical.

But ask him the antidote for physiological friction, and he might hesitate before the word lubrication came to mind.

Nevertheless, lubrication is a word that should suggest much to the doctor, for he needs lubrication—and not only lubrication, but perfect lubrication—every time he uses the catheter, sound, speculum, scope, the examining finger or any instrument of penetration.

Hence Friction's Antidote should suggest K-Y Lubricating Jelly. Nay, more, it should persuade or compel him to have at hand, in his bag and on the shelf, a tube of "K-Y," which is insurance against trouble or annoyance.

K-Y Lubricating Jelly is a perfect lubricant.

It is greaseless and water-soluble, which means that it is efficient and convenient. Its essential property is slipperiness and it is not sticky. Neither does it stain the skin or soil the clothing. It is emollient and protective. It is transparent and economical to use.

Consequently it is not only of service for lubricating instruments of penetration, but it serves as an effective dressing or application to burns and scalds. When applied early, taking care to cover all of the affected surface,

**GEO. J. ROCHE & SON
House, Fresco and Sign Painters**

HOEN BUILDING

Phone, St. Paul 3132 Holliday and Lexington Sts.

We Do Not Prescribe Glasses—We Make Them

**BOWEN & KING
Prescription Opticians**

405 North Charles St.

BALTIMORE, MD.

The National Bank of Baltimore

BALTIMORE AND ST. PAUL STS.

Capital,	\$1,210,700.00
Surplus and Undivided Profits,	323,572.91
Deposits,	7,676,460.75

HENNEMAN Bookbinder

C. & P. Phone, Mt. 309 W. Mulberry St., BALTIMORE, MD.

St. Paul 3031

Res. Phone, Madison 5395

DR. J. H. LIVERPOOL


Foot Specialist

101 North Eutaw St.

Baltimore, Md.

Office Hours 9 A. M. to 6 P. M. Sundays 9 A. M. to 2 P. M.

**Chattolanee
Spring Water**



**Continual pleasure
for the entire household**

Pleasure is the big thing with all of us. We crave for amusement—we want to share in the music and fun that bring delight to others.

With a Victrola in your home you can enjoy the world's best music and entertainment whenever you are in the mood to hear it.

We'll gladly demonstrate the Victrola and play any music you wish to hear—stop in any time.

Victrolas \$15 to \$200. Victors \$10 to \$100. Terms to suit—at cash prices.

COHEN & HUGHES, Inc.
Victor Distributors

115 E. Baltimore Street 315 N. Howard Street

LOCAL DIRECTORY

C. & P. Telephone 1988-Y

MERGEHENN & YOST

Surgical, Dental and Orthopaedical Instruments and All
Appliances for Deformities Made to Order
Grinding and Repairing of All Kinds of Surgical
Instruments

525 NORTH EUTAW ST., Cor. New St.

When YOU Want a DOCTOR

For your Tires, call **G. E. BLAYLOCK**, *The Boy with the RE-TIRE-ING Experience*. Ten years' practice has taught him how. Our work is best. Our price is less. **1817 Maryland Ave.**, near North Ave. Send your Tires by Parcel Post. Phone—Mt. Vernon 4535.

PHONE, WOLFE 4530-M

M. H. LEIMKUHLER**Orthopaedic Shoemaking**

Special Shoes for All Deformities of the Feet
Repair Work Received by Parcel Post

1734 E. PRATT STREET

FRED T. HANF**Automobile Painting, Rebuilding and Repairing**

TOPS AND SLIP COVERS STORING

2100-8 Lovegrove and 21st St.

Phone, Homewood 2488 BALTIMORE, MD.

Phone, St. Paul 996

Manicuring

D R. W. LEE**Chiropodist**

9 A. M. to 6 P. M. Sunday, 10 A. M. to 1 P. M.

121 W. Saratoga St. BALTIMORE, MD.

MISS T. O. HARTZELL**Massuse**

Electric Facial Massage, Scalp Treatment and
General Massage. Outside Engagements by
Appointment

2133 Madison Ave. BALTIMORE, MD.

The GOSSARD CORSET SHOP

224 North Liberty Street, BALTIMORE

Opp. Hotel Renner

St. Paul 3678

The Original Front Laced Corset, superior to other
Front Laced Corsets. All the different models from
\$2 to \$25. Fittings by expert fitter and corsetiere.

it often prevents blistering. It relieves the soreness of chafes and promotes healing.

It soothes pruritus even of the most severe kind in many cases, and is useful in dermatitis, urticaria, eczema, irritable ulcers, etc.

One especially valuable use for K-Y Lubricating Jelly is to anoint the skin in scarletina, measles, chickenpox, etc. It protects, allays irritation, and can be used without soiling or staining the clothing of the patient.

K-Y Lubricating Jelly also keeps the surgeon's hands supple, protects against bichloride rash and "protects the feel."

Friction physiologically considered is a thing to be avoided. Its proper antidote is lubrication. The correct form of lubrication calls for slipperiness which is not supplied by grease or oil. Furthermore, grease or oil is unpleasant to use and it leaves behind stains or soiled places on the patient's linen, etc.

Instruments of penetration—such as the sound, catheter, speculum, scope or the examining finger—must be lubricated and so perfectly lubricated as to slip easily. To pass such an instrument deftly, quickly, with a minimum of pain or discomfort to the patient, requires perfect lubrication, which, in turn, enhances the manual dexterity and deftness of the operator. Patients are growing to be increasingly critical. They note their physician's attention to the "little things" and judge accordingly. Hence, anything that will add to his skill or deftness must appeal to the doctor, and for that reason he must be interested in K-Y Lubricating Jelly—Friction's Antidote.

This preparation is slippery but not sticky. It is greasless. It is water-soluble. It is transparent. It is non-irritating. It is convenient to use and economical.

Properties which will recommend it to the discriminating doctor who has his patient's best interests as well as his own at heart. K-Y Lubricating Jelly is also a valuable emollient and protective agent in burns, scalds, bed sores, chafes, dermatitis, urticaria, hives, etc.

It relieves pruritus in the majority of instances, and is exceedingly useful as a soothing and protecting application to the skin of children suffering from scarlet fever, measles, chickenpox, etc.

K-Y Lubricating Jelly also keeps the surgeon's hands smooth, prevents bichloride rash and "improves the feel."

Physiological Friction is of double disadvantage. To the patient it brings discomfort, pain and sometimes severe suffering. It sometimes causes the doctor to lose some of his usual

deftness and thus impresses his patient that he is careless or not as skilled in manipulation as he might or ought to be.

And Physiological Friction is further to be regretted because it is so easily avoidable in most instances.

A skidding sound hurts, but when well lubricated with K-Y Lubricating Jelly, which is Friction's Antidote, it slips securely along its accustomed or intended track.

A dragging rectal or stomach tube strains the patient's forbearance and often makes the dread of repetition so strong as to postpone or abandon subsequent calls.

An examining finger hurts—unless perfectly lubricated, and the word perfectly does not admit of grease or oily substances.

For grease is not an ideal agent for this purpose; it soils the patient's clothing, prejudices the doctor's reputation for consideration, and marks the user as being unprogressive and careless.

K-Y Lubricating Jelly is Friction's Antidote.

Because K-Y Lubricating Jelly is slippery—not sticky—and therefore easily adapted for lubricating instruments of penetration.

It is greaseless and water-soluble, not only clean and easy to apply, but non-soiling and removable by even cold water without soap.

The very properties that render K-Y Lubricating Jelly a perfect lubricant make it emollient and protective.

Furthermore, K-Y Lubricating Jelly is to a striking degree *soothing*. Applied after a burn or a "chafe" it relieves promptly and hastens healing.

In pruritus—even in severe forms of genital, anal, diabetic, eczematous itching—K-Y Lubricating Jelly will, in a great majority of cases, bring relief, or at least grateful alleviation.

To anoint the skin in scarlet fever, measles, chickenpox, K-Y Lubricating Jelly is not only effective, but convenient and economical, since it can be used without staining or soiling the bed clothes or the patient's linen.

One use in particular will appeal to the surgeon—K-Y Lubrication Jelly makes the hands soft and supple, prevents bichloride rashes and "improves the feel."

Before and After Childbirth.

Childbirth is always attended by more or less danger and discomfort. Too often the extra burden a prospective mother has to bear overtaxes her nutrition and strength.

The mother who nurses her baby also fre-

quently has to have supportive treatment to enable her to meet the demand placed on her bodily metabolism by the needs of her growing offspring. At such times of stress effective tonic treatment is always required, and clinical experience has clearly shown that no remedy is so serviceable from every standpoint as Gray's Glycerine Tonic Comp.

Used throughout the later months of pregnancy and during the puerperium, it gives to the mother the exact stimulus and support needed not only to carry her through a trying period but to fit her for the still more exacting one of lactation.

Free from contraindication, it is the one remedy that the practitioner can employ before and after parturition with absolute certainty that its effects will never be harmful but invariably beneficial and helpful.

An Alterative of Long Service.

It is mainly in chronic skin and glandular diseases that alteratives have found their most distinct field of usefulness, for these are conditions aggravated and continued by impaired nutrition and elimination, in the correction of which alteratives show what potent remedial forces they are. Among the alteratives IODIA (Battle) has long enjoyed professional favor and in this will be found a striking demonstration of its value, for no class of drugs are put to a more rigid test than alteratives, so its long-continued use by physicians is the best evidence that it meets the demands made upon it. IODIA (Battle) will show its power in chronic skin diseases, glandular involvements and in other states indicating the corrective influence of an alterative agent. A distinct advantage offered by IODIA is that it may be continued over long periods without causing distress.

An Important Silver Germicide.

THERE are numerous silver salts on the market. One of the most efficacious of these is believed to be the proteid-silver compound manufactured by Parke, Davis & Co. under the name of Silvol. This product occurs in scale form, has a dark, lustrous appearance, and contains about 20 per cent. of metallic silver. Silvol is slightly hygroscopic, consequently is readily soluble in water. Aqueous solutions of any strength desired may be prepared from Silvol—solutions having this important advantage: They are not precipitated by proteids or alkalies or any of the reagents that commonly affect other silver compounds in solution. More-

ver, Silvol solutions do not coagulate albumin or precipitate the chlorides when applied to living tissue.

The use of Silvol is indicated in inflammatory frictions of mucous membranes generally. It may be used locally in solutions as strong as 40 per cent. without producing pain or irritation. In acute gonorrhœa, as an abortive measure, a 20 per cent. solution may be injected every three hours, while in the routine treatment the injection of a 5 per cent. solution three times a day is recommended.

Silvol penetrates tissue and destroys pathogenic bacteria. It is non-toxic. The product is available in two forms—powder (ounce bottles) and capsules (6-grain), bottles of 50. The contents of two capsules make one-fourth ounce of 10 per cent. solution. For application to regions where the use of an aqueous antiseptic solution is impracticable, Silvol Ointment (5 per cent.) has been devised. This ointment is marketed in collapsible tubes (two sizes) with elongated nozzle.

An Easily Digested Cod Liver Oil Product.

The therapeutic value of a cod liver oil preparation depends upon the ease with which it is digested and assimilated. If it distresses the stomach and is not assimilated its value as a therapeutic agent is nil. Thus the need of choosing a cod liver oil product that is well received by the stomach and is quickly assimilated. In Cord. Ext. Ol. Morrhuae Comp. (Hagee) these several requirements are met. In this cordial the essential principles of the plain oil are preserved unchanged, its disagreeable feature (the grease) being eliminated. Cord. Ext. Ol. Morrhuae Comp. (Hagee) possesses every therapeutic virtue of the crude oil with the added advantage of palatability.

The Pneumonia Convalescent.

WHILE the course and progress of acute lobar pneumonia is short, sharp and decisive, the impression made upon the general vitality is often profound, and apparently out of proportion to the duration of the disease. Even the robust, athletic patient is likely to emerge from the convalescent period with an embarrassed heart and general prostration. In such cases the convalescent should be closely watched and the heart and general vitality should be strengthened and supported, and this is especially true as applied to the patient who was more or less levitated before the invasion of the disease. For the purpose indicated, strychnia is a veritable prop upon which the embarrassed heart

and circulation can lean for strength and support. As a general revitalizing agent is also needed at this time, it is an excellent plan to order Pepto-Mangan (Gude), to which should be added the appropriate dose of strychnia, according to age, condition and indications. As a general tonic and brace to the circulation, nervous system and the organism generally this combination cannot be surpassed.

Palpitation of the Heart.

Cardiac palpitation and the whole train of subjective symptoms that often keep the heart sufferer in constant distress are not infrequently completely controlled by Cactina Pills when everything else fails. Clinical experience has shown that Cactina is a persuasive tonic not a therapeutic lash—and the skilled clinician appreciates the distinction. One to three pills every three or four hours will support the heart and relieve the patient's trepidation.

The Best Evacuant.

The greatest care should be used in prescribing an evacuant to guard against the tendency of many cathartics to cause a binding after-effect. Phil. Cascara Compound—Robins stimulates a flow of secretions, thus encouraging a normal physiological evacuation; normalizing peristaltic action instead of inhibiting it, as so many evacuants and cathartics do.

They contain no Strychnia to poison, no Belladonna to dry the secretions or abnormally dilate the pupils—nothing to injure your patients.

They are suited to all conditions requiring more or less alimentary stimulation. No unpleasant symptoms develop from continued use.

A trial the most convincing argument.

On request, A. H. Robins Co., Richmond, Va., will cheerfully send you liberal samples.

Nervous Irritability Following Debouch.

For the relief of the nervous irritability following overindulgence in alcohol, PASADYNE (Daniel) will produce results of a highly gratifying character. These patients want cessation of the intense irritability, they want sleep, and in PASADYNE (Daniel) they may secure them. PASADYNE (Daniel), the concentrated tincture of passiflora incarnata, is the ideal sedative. Effective and free from untoward results, it can be given without a feeling that evil effects may follow.

A sample bottle may be had by addressing the laboratory of John B. Daniel, 34 Wall street, Atlanta, Ga.

THE widespread attention that has been aroused during the past year on the subject of pyorrhea and its treatment with the ipecac alkaloids has included the physician as well as the dentist. Physicians in making diagnoses are becoming more and more impressed with the importance of seeking the point of infection in many pathological conditions that have stubbornly resisted treatment. The treatment of pyorrhea has been attended by improvement in a number of ailments which are now known to follow in the wake of gingival infections. Secondary conditions such as arthritis, neuritis and myalgias are often partially or entirely relieved after the removal of oral infections by proper instrumentation and ipecac medication.

There are three methods of administering the ipecac alkaloids—the local, subcutaneous and oral. The less troublesome of these, obviously, is the oral treatment made possible by Alcresta Tablets of Ipecac, which are uncoated, disintegrate readily and yet cause no nausea. The alkaloids are liberated in the alkaline media of the intestines, due to the fact that the ipecac alkaloids in these tablets are peculiarly combined with a form of hydrated aluminum silicate which does not release them in the stomach, but readily liberates them in the alkaline intestinal juices. Eli Lilly & Company will be pleased to supply our readers with further information on the use of ipecac in pyorrhea and

many kindred ailments having their source in infections about the mouth and teeth.

FEDERAL ANTI-NARCOTIC LAW AND GLYCO-HEROIN (SMITH)

The composition of Glyco-Heroin (Smith) is not being changed to meet any of the exemptions or privileges allowed under the so-called "Harrison Anti-Narcotic Law" and whereby it might be sold to the public.

Glyco-Heroin (Smith) will remain just what it always has been and just what it was always intended to be, viz; a stable, uniform and dependable product for the convenience and use of physicians only, in the treatment of Cough, Bronchitis, Whooping Cough, etc.

In prescribing Glyco-Heroin (Smith) use ordinary prescription blanks. Give the name and address of patient, your own name and address in full, your registry number and date when written, (no copy or other record required.)

Prescriptions cannot be refilled

MARTIN H. SMITH CO., New York

Binding and Lacing

ORTHOPEDIC SHOE SPECIALISTS

also

PLASTER CASTS

Hand-made Shoes for Normal Feet

G. H. GORSUCH & SON

12 W. Twentieth Street

EXTENSION SHOES

Special Workmen
on REPAIRING

BALTIMORE, MARYLAND

SIEGFRIED KOFLER,
FORMERLY CATERER AT THE BELVEDERE

**CATERER and
CONFETIONER**

EUTAW PLACE AND NORTH AVENUE

Weddings, Receptions and all kinds of Entertainments Solicited

"LOZAK" has been in the market for some years, and each month the demand has increased. Thousands of physicians are recommending it for stomach trouble.

FOR SALE AT ALL DRUG STORES

SANITARIUMS, ETC.



The Gundry Sanitarium (ATHOL)

A Private Sanitarium for the Care and Treatment of Nervous and Selected Cases of Mental Diseases in Women.

Splendidly located, retired and accessible to Baltimore, surrounded by 28 acres of beautiful grounds. Buildings modern and well arranged. Every facility for treatment and classification.

For further information, write or telephone

**DR. ALFRED T. GUNDRY, or
THE GUNDRY SANITARIUM
Athol, Catonsville, Md.**

RIVER CREST SANITARIUM Under State License

ASTORIA, L. I., NEW YORK CITY

For NERVOUS and MENTAL DISEASES, ALCOHOLIC and DRUG HABITUÉS

Home-like Private Retreat. Beautifully Located in a Large Park, Overlooking the City and Sound. Easily Accessible. Attractive. Detached Buildings for Alcoholics and Drug Habitués. Complete, Modern Equipment. Hydrotherapy, Electrotherapy, Massage, Amusements.

JOHN JOS. KINDRED, M.D., Consultant

New York Office: **The Sydenham, 616 Madison Ave.**, Cor. 58th St.

Phone, 1170 Plaza

Hours: 3 to 1 and by Appointment

Sanitarium Phone, 820 Astoria

REFER TO: Dr. Wm. F. Drewry, Superintendent Central State Hospital for Insane, Petersburg, Va., and others in the South.

The Richard Gundry Home

(Established 1891)

HARLEM LODGE, CATONSVILLE, BALTIMORE COUNTY, MARYLAND

A WELL EQUIPPED SANITARIUM for the treatment of Nervous and Mental Diseases, selected cases of Alcoholic and Opium Habitués, and the various diseases requiring the removal from the environments of home.

For rates, etc., address

DR. RICHARD F. GUNDRY

C. & P. Phone No. 86, Catonsville

References

DR. WM. OSLER, Oxford, Eng.	DR. JULIUS FRIEDENWALD, Baltimore.	DR. WM. S. THAYER, Baltimore.
DR. HENRY M. HIRD, Baltimore.	DR. NATHAN R. GORTER, Baltimore.	DR. J. ALLISON HODGES, Richmond, Va.
DR. THOS. A. ASHBY, Baltimore.	DR. SAMUEL C. CHEW, Baltimore.	DR. WM. F. DREWRY, Petersburg, Va.
DR. J. CLEMENT CLARK, Sykesville, Md.		DR. WM. S. GARDNER, Baltimore.

PEARSON HOME

- a. Devoted exclusively to treating the various DRUG and ALCOHOLIC ADDICTIONS.
- b. Our reduction system affords the morphine patient the greatest possible comfort and safety during treatment, and, we believe, the best prospects for permanent relief.

DR. C. B. PEARSON

Proprietor


Descriptive Literature Sent on Request

ADDRESS

HILLSDALE, BALTIMORE COUNTY, MD.

HIGH POINT SANATORIUM

BIEDLER & SELLMAN



2714 to 2728 Charles St. Boulevard
BALTIMORE, MD.

Is open for the use of the Medical Profession

Medical and surgical cases received.

Trained Nursing and Modern Operating and Treatment Rooms.

Special Treatments as

ELECTRICAL

HYDRO-THERAPY

HOT-AIR AND BAKING THERAPY

SCIENTIFIC MASSAGE

RADIUM TREATMENT

Patapsco Manor Sanitarium ELLIOTT CITY MARYLAND

PATAPSCO MANOR SANITARIUM is a Private Home Devoted Exclusively to the Care of

DRUG, ALCOHOLIC, NERVOUS and MILD MENTAL CASES



along the most modern and approved lines of professional and scientific treatment, each patient receiving direct personal care and attention of physician and nurses.

Located at Ellicott City, popularly known as the Switzerland of Maryland, on one of the highest points of Howard County, overlooking the magnificent Patapsco Valley.

Accessible by trolley or B. & O. R. R. from Baltimore.

The rates are reasonable as is consistent with careful, individual attention, and the superintendent will furnish such information as may be desired.

DR. W. RUSHMER WHITE
Superintendent

PHYSICIANS!

My Prescription Cases are up to date, of exquisite design, made for pads in size $3\frac{1}{2} \times 5\frac{1}{2}$ and $\frac{1}{2}$ -inch thick. Best black seal grain leather, smooth leather lining, pocket for pad, and extra gusset pocket for duplicates and other papers or cards. With your name in gold stamped on, they add greatly to the dignity of the user. Sent everywhere by mail for \$1.00. Money-back guarantee. Other sizes to order. Agents wanted.

C. HOFMANN'S FANCY LEATHER GOODS SHOP

BALTIMORE, MD.

MILTON ACADEMY AND COLLEGE OF PHARMACY AND CHEMISTRY

All High School and Preparatory and many College subjects offered in day and night classes under trained teachers, at lowest reasonable rates. Our COLLEGE OF PHARMACY AND CHEMISTRY offers exceptional advantages to those who have the profession of Pharmacy or Chemistry in view. Lectures and Laboratory work in day and night classes during twelve months in the year. For circulars, etc., address

WM JAS. HEAPS, President

310 W. Hoffman Street, Baltimore, Md.

University of Maryland School of Medicine and College of Physicians and Surgeons

Faculty of Physic

RANDOLPH WINSLOW, A.M., M.D., LL.D., Professor of Surgery.
 L. E. NEALE, M.D., LL.D., Professor of Obstetrics.
 CLAS. W. MITCHELL, A.M., M.D., Professor of Pediatrics and Clinical Medicine.
 THOS. A. ASHBY, M.D., LL.D., Professor of Diseases of Women.
 JOHN HOLMES SMITH, M.D., Professor of Anatomy.
 JOHN C. HEMMETER, M.D., Ph.D., Sc.D., LL.D., Professor of Physiology and Clinical Medicine.
 A. M. SHIPLEY, M.D., Professor of Materia Medica and Surgical Pathology.
 S. K. MERRICK, M.D., Professor of Diseases of the Nose and Throat.
 R. B. WARFIELD, M.D., Professor of Practice of Surgery.
 GORDON WILSON, M.D., Professor of Principles of Medicine.
 WILLIAM SIMON, Ph.D., M.D., Sc.D., Professor of Chemistry.
 JOHN W. CHAMBERS, M.D., Sc.D., Professor of Surgery.
 NATHANIEL G. KEIRLE, A.M., M.D., Sc.D., LL.D., Professor of Medical Jurisprudence.
 WILLIAM F. LOCKWOOD, M.D., Professor of Medicine.
 GEORGE W. DOBBIN, A.B., M.D., Professor of Obstetrics and Gynecology.
 WILLIAM ROYAL STOKES, M.D., Sc.D., Professor of Pathology and Bacteriology.
 HARRY FRIEDENWALD, A.B., M.D., Professor of Ophthalmology and Otolaryngology.
 RICHARD C. HARRISON, M.D., Professor of Surgery.
 GARY B. GAMBLE, JR., A.M., M.D., Professor of Clinical Medicine.
 WILLIAM S. GARDNER, M.D., Professor of Gynecology.
 STANDISH McCLEARY, M.D., Professor of Pathology.
 JULIUS FRIEDENWALD, A.M., M.D., Professor of Gastroenterology.
 J. M. H. ROWLAND, M.D., Professor of Clinical Obstetrics.
 ERNEST ZUEBLIN, M.D., Professor of Experimental and Clinical Medicine.
 JOSE L. HIRSH, B.A., M.D., Professor of Clinical Pediatrics.
 HIRAM WOODS, JR., M.A., M.D., Professor of Eye and Ear Diseases.
 JOHN S. FULLTON, A.B., M.D., Professor of State Medicine.
 HARRY ADLER, B.A., M.D., Professor of Clinical Medicine.
 THOMAS C. GILCHRIST, M.R.C.S., M.D., Professor of Dermatology.
 FRANK MARTIN, B.S., M.D., Professor of Operative and Clinical Surgery.
 CHARLES G. HILL, A.M., M.D., Professor of Psychiatry.
 A. C. POLE, M.D., Professor of Descriptive Anatomy.
 J. D. BLAKE, M.D., Professor of Clinical Surgery.

For further information, apply to WM. F. LOCKWOOD, M.D., Dean of the Faculty, or CALEB WINSLOW, M.A., Registrar, University of Maryland School of Medicine and College of Physicians and Surgeons, Baltimore, Md.

THE STORM BINDER AND ABDOMINAL SUPPORTER

PATENTED

Men, Women, Children and Babies



FOR HERNIA, RELAXED SACRO-ILIAC
 ARTICULATIONS, FLOATING KIDNEY,
 HIGH AND LOW OPERATIONS, PTOSIS,
 OBESITY, PREGNANCY, PERTUSSIS, ETC.

Send for new folder and testimonials of physicians. General mail orders filled at Philadelphia only—within twenty-four hours

KATHERINE L. STORM, M.D.
 1541 Diamond St. PHILADELPHIA

Silvol

**The most remarkable organic silver compound
available to physicians.**

- Powerful antiseptic, astringent and sedative.
- Penetrates tissue and destroys bacteria.
- Contains approximately 20 per cent. of silver.
- Freely soluble in water.
- Non-toxic; non-irritating.
- Does not coagulate albumin.
- Is not precipitated by proteids or alkalies.

For the treatment of all inflammations of mucous membranes

—notably, acute and chronic gonorrhœa; diseases of eye, ear, nose, throat, etc.—in any condition, in fact, in which the use of a silver salt is indicated.

Silvol is used in solutions of 1 to 50 per cent.

Powder: Bottles of one ounce.

Capsules (6-grain): Bottles of 50.

Contents of two capsules make one-fourth ounce of a 10-per-cent. solution.

NOTE.—We also supply **Silvol Ointment** (5 per cent.), for application to regions where the use of an aqueous antiseptic solution is not feasible. Small and large collapsible tubes with elongated nozzle.

WRITE FOR LITERATURE ON SILVOL.

Home Offices and Laboratories,
Detroit, Michigan.

Parke, Davis & Co.

"The Salt Breath of the Sea Brings Health"



GALEN HALL

And Cottages

Hotel and Sanatorium ATLANTIC CITY, N. J.

Stone, Brick and Steel Buildings, with every modern comfort. Two Elevators and five Sun Parlors.


Convalescents can have specially prepared diets and other helps, and be under control and advice of home physician through our resident.

Our Treatment Department includes Electric and Hydriatic Appliances of the latest style, with Sea Water. Trained attendants only.

F. L. YOUNG, General Manager

"The Cleanest of Lubricants"

K-Y Lubricating Jelly (REG.
U. S. PAT. OFF.)
"The Perfect Surgical Lubricant"



Absolutely sterile, antiseptic yet non-irritating to the most sensitive tissues, water-soluble, non-greasy and non-corrosive to instruments, "K-Y" does not stain the clothing or dressings.

Invaluable for lubricating catheters, colon and rectal tubes, specula, sounds and whenever aseptic or surgical lubrication is required.

Supplied in collapsible tubes.

Samples on request.


VAN HORN & SAWTELL

NEW YORK CITY and LONDON, ENGLAND
15-17 East 40th Street and 31-33 High Holborn

IN THAT CONFINEMENT TEAR

If you favor immediate repair, use our especially chromicized catgut prepared to hold seven to twelve days. Each strand of this special

"Van Horn.. Obstetrical Suture, Chromic Catgut



is threaded on a suitable needle, ready for instant use. Indispensable for your surgical bag. One tube in each box. Price, 25 cents each; \$3.00 per dozen tubes. No samples.

For Sale by Your Dealer,
or Sent Upon Receipt of Price

VAN HORN and SAWTELL

New York, U.S.A. and London, England
15-17 E. 40th Street and 31-33 High Holborn